



# RUNPOTEC®

STRONGEST CABLE PULLING



WORLD FIRST!



**INTRODUCTION PROMOTION**  
**RUNPOMETER RM35 + ACCESSORIES + SYSTEM CASE**

**DIGITAL CABLE LENGTH MEASURING DEVICE**  
 For versatile use with cables of Ø 2 mm - 32 mm, single conductors, ropes, pipes

- ✓ **Jobsite capable**
  - ▶ Splash water & dust proof
  - ▶ Impact and breakage protected
- ✓ **Compatible with all unwinding systems**
- ✓ **For measuring lengths with cable pulling systems**
- ✓ **Easy to use**
  - ▶ Totalling function
- ✓ **Battery life in continuous operation 100 hrs.**  
 (without backlighting)

**INSTEAD OF € 369,-**  
**€ 329,-**  
 plus tax

RUNPOMETER RM35 - Introductory price  
 RUNPOTEC Item no.: 10172



**CALIBRATABLE**



**SCOPE OF DELIVERY RUNPOMETER RM35**

**SET OFFER**  
**RUNPOMETER RM35 + ACCESSORIES + SYSTEM CASE + X BOARD XB 300**

**PROMOTION CONTENT**  
 1 x RUNPOMETER RM35  
 Digital cable length measuring device  
 incl. accessories and system case

1 x X BOARD Profi cable roller XB 300  
 Universal cable drum revider and unwinder  
 (also for damaged cable drums), loadable up to 300 kg

**INSTEAD OF € 483,45**  
**€ 379,-**  
 plus tax

RUNPOMETER RM35 - XB 300 - PROMOTION  
 RUNPOTEC Item no.: 11143



**CALIBRATABLE**



**SCOPE OF DELIVERY RUNPOMETER RM35**

**APPLICATION EXAMPLES RUNPOMETER RM35 - DIGITAL CABLE LENGTH MEASURING DEVICE**



RUNPOMETER RM35 with **belt and clip system** connected to XB 500



RUNPOMETER RM35 with **connecting pad and belt** fixed to cable drum roller PRO



RM35 with **Mounting plate- system case**, Profi Set fiberglass rod Ø 4,5 mm

# Quality check

RUNPOTEC products are checked at several stages for

- » Breaking load
- » Material quality
- » Material fatigue
- » Mechanical stress
- » Functional ability



## RUNPOCAM RC2 30 m + POWER REX 30 m

### PROMOTION-Content:

1 x RUNPOCAM RC2 – multifunction-inspection-camera with 30 m cable

Field of application in combination with POWER REX:

For pipe inspections over long distances of up to 50 m. As of 14 mm inner diameter (corresponds to empty pipe Ø 20 mm). Also for larger pipe cross-sections, cavity wall inspections, suspended ceilings, manhole, underfloor ducts, maintenance and system inspections

Content: see product video

1 x POWER REX – 30 m fiberglass rod with BOX

Cable pulling device, optimal for pipe-Ø 16 – 50 mm, total breaking load 120 kg (glass fibre rod including end sleeves)

Content: see www.runpotec.com

INSTEAD OF € 668,<sup>95</sup>  
**€ 609,-**  
 plus tax  
 RUNPOCAM RC2 – POWER REX – OFFER  
 RUNPOTEC Item. no.: 11138



## RUNPOCAM RC2 30 m + RUNPOSTICKS – COMFORT PAKET

### PROMOTION-Content:

1 x RUNPOCAM RC2 – multifunction-inspection-camera with 30 m cable

Field of application in combination with RUNPOSTICKS Comfort:

Memory function/documented evidence – photo, video and audio, battery operation up to 6 hours, protection class IP 67, extra large 3.5" TFT LCD display. Content: see product video

1 x RUNPOSTICKS Comfort Paket

Field of application: suspended ceilings, cable ducts, hollow walls, retroactive cabling for non-routed cables, underfloor shafts, various bushings and much more. Content: 19 parts

INSTEAD OF € 695,<sup>10</sup>  
**€ 629,-**  
 plus tax  
 RUNPOCAM RC2 – RUNPOSTICKS – Offer  
 RUNPOTEC Item no.: 11137



## RUNPOCAM RC2 50 m + PROFI-SET 50 m

### PROMOTION-Content:

1 x RUNPOCAM RC2 – Multifunction-inspection-camera with 50 m cable

Application in combination with Profi-Set:

See description above.

Content: see product video

1 x Profi-Set – 50 m fiberglass rod Ø 4,5 mm

Optimal for pipe-Ø 30 – 80 mm.

Content: see product video

INSTEAD OF € 908,<sup>25</sup>  
**€ 789,-**  
 plus tax  
 RUNPOCAM RC2 50 m – Fiberglass rod 50 m  
 RUNPOTEC Item no.: 11140



<b>PROMOTION</b>	
RUNPOMETER RM35 - Digital cable length measuring device	2
RUNPOCAM RC 2 promotion	4
<b>CABLE PULLING SYSTEMS</b>	
Cable lubricating compound   GEL   SPRAY   FOAM SPRAY   LIQUID	19
RUNPO 5   2 x RUNPOGLIDER with swivel, special plastic tape Ø 5,3 mm, triple twisted	20
RUNPOSTICKS standard and comfort   plastic-coated basalt pushrod set	22
RUNPO 1   Special plastic fish tape Ø 4 mm, with RUNPOGLIDER	24
POWER REX   Fiberglass rod Ø 3 mm incl. RUNPOGLIDER with swivel	25
RUNPOTEC RT 2008   Tool for pushing in RUNPOGLIDER into conduit	28
RUNPOGLIDER spiral MET   Metal spiral Ø 4 mm with RUNPOGLIDER	29
RUNPOFIX   Cable pulling loop with protective cap   Protects plugs against damage	30
Cable pulling grip   Ø 4 – 15 mm	31
Cable pulling grip   Ø 9 – 100 mm	32
Cable diameters   Summary table - Information page	33
Fiberglass rod Ø 4,5 mm   incl. steel cage and new double run-out system	34
Fiberglass rod Ø 6 mm   incl. steel cage and new double run-out system	37
Fiberglass rod Ø 7,5 – 9 mm   incl. steel cage, new double run-out system and meter counter	41
Fiberglass rod Ø 11 mm   incl. steel cage, new double run-out system and meter counter	44
Fiberglass rod Ø 15 mm   incl. steelcage and meter counter	46
Cage-flexible leading head-set   RUNPOSTICKS, 13 parts	40
Capstan winch CW 800 E   for horizontal cable pulling	48
Polyester towing rope   incl. steel cage or drum   Ø 8 mm, 10 mm, 12 mm   120 m – 350 m	50
Metal spiral   Ø 4 mm   Nylon fish tape   Ø 3 – 4 mm	53
<b>INSPECTION SYSTEMS   MEASURING DEVICES   RUNPOTEC SYSTEM-CASE</b>	
RUNPOMETER RM35 - Digital cable length measuring device	6
RUNPOCAM RC 2   Multifunction-inspection-camera   10 m, 30 m, 50 m	16
Laser distance meter RM80	52
RUNPOTEC system-case	10
<b>CABLE ROLLER SYSTEMS</b>	
X-BOARD   Profi cable roller XB 300   multi-function mandrel	8
X-BOARD   Profi cable roller XB 500	11
Cable drum roller   PRO 530   PRO 670	12
Roll-off rails AS 900   In a 2-part set	13
RUNPOLIFTER 4500   cable drum lifter   L 1150, L 1350, L 1600	14
Cable drum   Summary table - Information page	15
Cable guide roller   chain   90 degrees   shaft   shaft inside edge	51
<b>PRICE LIST   GTC</b>	
Price list	54
GTC   General terms and conditions	59

# RUNPOMETER RM35 Digital cable length measuring device

**VIDEO**



RUNPOMETER RM35

**WORLD FIRST!**





**CALIBRATABLE**

**ADVANTAGES**

- ✓ **Jobsite capable**
  - ▶ Splash water & dust proof
  - ▶ Impact and breakage protected
- ✓ **For versatile use** with cables of Ø 2 mm - Ø 32 mm, single conductors, ropes, pipes
- ✓ **Compatible** with all unwinding systems
- ✓ **For measuring lengths** for cable pulling systems
- ✓ **Battery life** in continuous operation 100 hrs. (without backlighting)



Item	Item no.	Rec. trade price
<b>RUNPOMETER RM35</b> Digital cable length measuring device	10172	<del>369,00 €</del> <b>329,00 €</b>
<b>Introductory price</b>		

The RUNPOMETER RM35 is a digital cable length measuring device which be used to precisely measure cables, single conductors, ropes, pipes or hoses with a diameter of Ø 2 mm to Ø 32 mm. It is splash-proof and dust-proof, extremely shock-resistant and thus ideally suited for the jobsite. The RM35 has 2 totalling buttons which can be used to add up the measured values as you work. A countdown function is also included, which can be used to measure predetermined cable lengths. The RM35 is equipped with a lithium ion battery that has an extremely long runtime (100 hrs. continuous operation without backlighting). The battery can be charge using the integrated USB-C charging socket. The RUNPOMETER RM35 is perfectly stowed in the RUNPOTEC system case, which is also compatible with Sortimo products. The RUNPOMETER can be easily connected to the X BOARD XB 300 or XB 500 cable unwinding system via the supplied belt and clip system. The belt length can be easily adjusted from 750 mm to 1200 mm. Alternatively, this belt can also be fixed to the connecting pad, thereby offering a fixation option for all conventional rolling systems.

**Calibratable INFO:** Should you require a calibrated RUNPOMETER RM35, please contact your sales partner or RUNPOTEC directly to clarify price and delivery time.

## Scope of delivery – RUNPOMETER RM35 – Item no. 10172 incl. accessories



All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

**APPLICATION EXAMPLES**




RM35 with **belt and clip-system** connected to Profi-Set fiberglass rod Ø 4,5 mm




RUNPOMETER RM35 with **belt and clip-system** connected to XB 500.



RUNPOMETER RM35 with **connecting pad and belt** fixed to cable drum roller PRO



RM35 with clip-system **in cable store**




RM35 with mounting plate-case, **Cable assembly**



RM35 with **RUNPOLIFTER L1600** and 3 x 35 mm² cable

**DISPLAY** - extensive application options



- 1 Current counter reading, max. measuring distance 99999,99 m
- 2 COUNTDOWN – function, e.g. for repetitive cutting to length or cable residual value determination (initial value 200 m minus unwound length 50 m results in current residual value 150 m) see ACTUAL
- 3 ACTUAL – current residual value (150 m) from the entered COUNTDOWN value
- 4 Current counter reading (positive/negative) add the sum (TOTAL 1)
- 5 second option - current counter reading (positive/negative) add to the sum (TOTAL 2)
- 6 Show the cable pull direction (forward or backward)
- 7 Beep signal when the COUNTDOWN value is reached

Accessoires   Components		Item no.	Rec. trade price
	<b>Belt with clip-system and connecting pad</b> To connect with all conventional rolling systems Belt length 1200 mm + <b>connecting pad</b> (2-part) Belt length 2400 mm + <b>connecting pad</b> (2-part)	20706 20714	<b>30,00 €</b> <b>34,70 €</b>
	<b>Sliding Jaw Set RM35 - 4-part</b> Spare part for RUNPOMETER RM35	20707	<b>12,10 €</b>
	<b>RUNPOTEC System case</b> with case insert (for RUNPOMETER RM35)	20708	<b>49,35 €</b>
	<b>Mountingplate - system case</b> attachment for RUNPOMETER RM35	20739	<b>35,70 €</b>
	<b>Guide jaws RM35 - 4-part</b> for high-precision measuring results Guide jaws grey (Ø 12 mm / 18 mm) Guide jaws red (Ø 6 mm / 24 mm)	20738	<b>15,20 €</b>



## Profi cable roller XB 300



X BOARD mandrel  
Ø 45 mm  
Removable for  
small drums

Possible applications



**NEW** NOW WITH  
CLIP-SYSTEM



**RUNPOMETER  
RUNPOSTICKS  
COMPATIBEL**



The compact X BOARD – XB 300 is a universal, professional device for winding in/out cables on all small- to mid-sized cable drums. The XB 300 scores highly thanks to its small, lightweight and flat design but is still capable of carrying up to 300 kg. **Ideal for damaged cable drums.** For trouble-free and efficient working without the tangled cables. 6 rubberised feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. Due to the removable mandrel, cable drums with different hole sizes can be used. Here also the multi-function mandrel can be attached to unwind loose cable bundles or single wires. (Multifunction mandrel is not included).

### Multifunction mandrel

Can only be used in combination with **X BOARD XB 300** (and **XB 500**)

**NEW**



Telescopic middle mandrel up to max. 294 mm


foldable



Possible applications





The multifunction mandrel has been **specially developed for the X BOARD XB 300 and XB 500 cable rolling systems.** By attaching it to the stainless steel central mandrel and unfolding the 4 side brackets, loose cable bundles or individual wires can also be rolled.

Spare part	Item no.	Rec. trade price
 <p><b>X BOARD mandrel</b> for X BOARD XB 300 and XB 500</p>	20632	9,14 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



	Item	Item no.	Rec. trade price
	<p><b>Multifunction mandrel</b> The multifunction mandrel has been specially developed for the X BOARD XB 300 and XB 500 cable rolling systems</p>	20696	48,00 €
	<p><b>X BOARD – Profi cable roller</b> XB 300 – Ø 300 mm   Load bearing capacity 300 kg</p>	10137	114,45 €



**PROMOTION-CONTENT:**  
**XB 300 + MULTIFUNCTION MANDREL- SET**

INSTEAD OF € 162,45  
**€ 148,-**  
plus tax

XB 300 – MULTIFUNCTION MANDREL – SET – offer  
RUNPOTEC item no. 10174



W-BOX® | Sortimo COMPATIBLE

**PROMOTION-CONTENT:**  
**XB 300 – COMPLETE-SET**  
incl. multifunction mandrel + systemcase

INSTEAD OF € 210,95  
**€ 189,-**  
plus tax

XB 300 – COMPLETE-SET – offer  
RUNPOTEC item no. 10170



W-BOX® | Sortimo COMPATIBLE

**PROMOTION-CONTENT:**  
**RUNPO 5 + XB 300 – MULTISET**  
incl. multifunction mandrel + systemcase

**RUNPO 5 – 30 m - 2 x RUNPO GLIDER®**  
with swivel, triple twisted, tension load 270 Kg,  
optimal for pipe Ø 16 - 40 mm

INSTEAD OF € 357,85  
**€ 305,-**  
plus tax

RUNPO 5 – XB 300 – MULTISET – offer  
RUNPOTEC item no. 10171

# RUNPOTEC SYSTEM CASE

W-BOXX® | Sortimo® COMPATIBLE



Stackable with click system

UNIVERSAL case insert



Symbol pictures - without content

RUNPOCAM RC2 case insert



RT 2008 case insert



RM35 case insert



## RUNPOTEC SYSTEM-CASE

System case with UNIVERSAL, RUNPOCAM RC 2, RT 2008 or RUNPOMETER RM35 case insert. Perfect for storing and transporting of the previously mentioned RUNPOTEC products.

One advantage is the **fast click system**, which allows the boxes to be connected to each other without effort and disconnected again at the push of a button. The boxes are easily stackable thanks to the **quick click system**.

The **W-BOXX** can be seamlessly integrated into the **Sortimo Globelyst system**.

The high-quality and lightweight W-BOXX made of PP plastic is impact and shock resistant and splash-proof.

Accessoires   Components		item no.	Rec. trade price
		RUNPOTEC system case with case insert for <b>RT 2008</b>	20611 49,35 €
		RUNPOTEC system case with case insert for <b>RUNPOCAM RC2</b>	20612 49,35 €
		RUNPOTEC system case with <b>UNIVERSAL</b> case insert (For XB 300 + multifunction mandrel + RUNPO 5)	20613 49,35 €
		RUNPOTEC system case with <b>RUNPOMETER RM 35</b> case insert (for RUNPOMETER RM 35 incl. accessories)	20708 49,35 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021.  
All illustrations are symbol photos. Typing and printing errors reserved.



# Profi cable roller XB 500



800 KG



X BOARD mandrel  
Ø 45 mm  
Removable for small drums

**MULTIMANDREL COMPATIBLE**



**RUNPOMETER COMPATIBLE**



Ø 500 mm




Possible applications








VIDEO




X-BOARD XB 500

Possible applications in combination with RUNPOSTICKS



Fix light drums




Helps filling of large drums on to the X BOARD

Item	Item no.	Rec. trade price
<b>X BOARD – Profi cable roller</b> XB 500 – Ø 500 mm   Load bearing capacity 800 kg	10136	<del>239,00 €</del> <b>219,00 €</b>
<b>introductory price</b>		

The compact X BOARD – XB 500 is a universal, professional device for winding in/out cable drums featuring all types of cables and pipes (single core lines, cable rings, cable drums, empty conduits, ropes and rope drums). It enables trouble-free and efficient working without the tangled cables. The X BOARD – XB 500 can bear loads of up to 800 kg and is suitable for almost all types of drum.

**Especially ideal for damaged cable drums.**

12 rubber feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. The height-adjustable lid is perfectly designed to secure loose cables, cable rings or pipes in the X BOARD XB 500; this prevents uncontrolled cable winding.

Spare part	Item no.	Rec. trade price
 <p><b>X BOARD mandrel</b> for X BOARD XB 300 and XB 500</p>	20632	<b>9,14 €</b>


## Cable drum roller PRO 530 | PRO 670



215 KG



Extra strong bearings



Item	Item No.	Rec. trade price
<b>Cable drum roller</b> – pre-assembled, incl. support rollers   Load bearing capacity 215 kg		
<b>PRO 530</b>	10134	<b>186,90 €</b>
<b>PRO 670</b>	10135	<b>219,45 €</b>

The innovative quality cable drum unwinder from RUNPOTEC, made of light and solid die-cast and extruded aluminium with robust, adjustable support rollers, is also excellently suited for the highest loads in daily use. The support rollers with spring core axles can be easily adjusted to accommodate a wide range of cable drum sizes up to max. Ø 1000 mm thanks to gap adjustment to 85, 160, 225, 290, 310 and 335 mm. The sealed support roller bearings provide protection against contamination and corrosion and thus guarantee maintenance-free running characteristics. The four compact feet made of high-quality plastic always give the cable drum unwinder stable and non-slip based and protect finished floor coverings. The high-quality and functional design with elaborate technology guarantees a long service life. **Cable drum unwinders PRO 530 and PRO 670 can be retrofitted with castors!**


Accessoires   Components	Item no.	Rec. trade price
<p><b>Castors in a 4-part set</b> 4 piece with parking brakes PU = 4 x castors</p>	20623	<b>68,00 €</b>
<p><b>Unwind roll 530</b> for cable drum roller PRO 530 Roller length 530 mm</p>	20609	<b>26,25 €</b>
<p><b>Unwind roll 670</b> for cable drum roller PRO 670 Roller length 670 mm</p>	20610	<b>28,38 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

# Roll-off rails AS 900



**RUNPOMETER  
COMPATIBLE**



Possible application



**1**

Roll-off brake  
**open**



**2**

Roll-off brake  
**closed**

Item	Item no.	Rec. trade price
<b>Roll-off rails AS 900</b> In a 2-part set 2 piece   max. drum weight 1700 kg (wooden drum)	10142	<b>787,50 €</b>


The AS 900 unwinding rails are designed for safe unwinding of heavy cable material and cable drums from 450 mm to 2000 mm diameter. One of the two heavy duty rollers can be positioned in 3 different settings. The stable stainless steel-aluminium construction with high-quality, maintenance-free, ball bearing heavy-duty support rollers ensure a long service life. Easy and quick change of drums due to the unwinding brake. Due to their two-part narrow design they are easy to use in cramped spaces. Especially recommended where different cable types are to be processed side by side within a short time. Since some of the drums are in very poor condition, the recommended working load bearing capacity of 800 kg should not be exceeded.

**RUNPOLIFTER 4500 SET** drum shaft and centring cones




**VIDEO**

RUNPOLIFTER 4500



4500 KG



**RUNPOMETER COMPATIBLE**




Drum width up to 1250 mm

**SCOPE OF DELIVERY:**

- 1 x Lifting support right
- 1 x Lifting support left
- 1 x Drum shaft
- 2 x Centring cones



**STAINLESS STEEL**




Drum Ø up to 1600 mm

4500KG

**Foldable**  
**Compact – easy transportation**  
**Only 22 kg per lifting support**

Item	Lifter Sets	Shaft lenght	Item no.	Rec. trade price
The <b>RUNPOLIFTER 4500</b> is a foldable cable drum lifter that is capable of lifting drums with a maximum diameter of 1600 mm and a maximum weight of <b>4500 kg</b> and a max. width of 1250 mm. The two included centring cones each have a quick-fastener. Drums with a central hole up to Ø 115 mm can be fixed.	Lifter 1150	1150 mm	10162	<b>2610,00 €</b>
	Lifter 1350	1350 mm	10163	<b>2650,00 €</b>
	Lifter 1600	1600 mm	10164	<b>2690,00 €</b>
Accessories   Components			Item no.	Rec. trade price
 <p><b>Drum shaft Ø 54 mm</b>  <b>High strength hollow shaft, Integrated Heavy duty plain bearing, Stainless steel security mount, High weight saving</b></p> <p>Length <b>1150 mm</b> – 11,00 kg - lifting capacity 4.500 kg                      Length <b>1350 mm</b> – 12,50 kg - lifting capacity 4.500 kg                      Length <b>1600 mm</b> – 14,30 kg - lifting capacity 4.500 kg  <b>Special lengths possible on request</b></p>			20692 20693 20694	<b>490,00 €</b> <b>530,00 €</b> <b>570,00 €</b> <b>Price o. r.</b>
 <p><b>Centring cones (2 pieces)</b>                      with quick-fastener                      Drum central hole up to Ø 115 mm</p>			10147	<b>123,50 €</b>
 <p><b>Lifter transport wheels</b>                      4 wheels including mounting screws (optionally retrofittable)</p>			20711	<b>126,00 €</b>
 <p><b>Lifting supports – RUNPOLIFTER 4500</b>                      1 piece on the left + 1 piece on the right</p>			10161	<b>2030,00 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



**Application examples: Drum wavelengths for suitable drum widths**

Length **1600 mm** for drum width **up to 1250 mm**

Length **1350 mm** for drum width **up to 1000 mm**

Length **1150 mm** for drum width **up to 800 mm**



A drum diameter mm	610	710	810	910	1010	1210	1410	1610	1810
B drum width mm	490	520	520	690	710	890	890	1100	1100
cable diameter mm	Cable lengths in m on a drum								
CAT5/6/7	6	1113	2024	2755					
Coaxial	7	845	1481	2340					
3 x 1,5 mm <sup>2</sup>	8	637	1064	1463	2731				
3 x 2,5 mm <sup>2</sup>	9	472	892	1152	2202	2866			
5 x 2,5 mm <sup>2</sup>	10	386	677	980	1768	2349			
1 x 25 mm <sup>2</sup>	11	314	564	761	1404	1912			
1 x 35 mm <sup>2</sup>	12	253	468	643	1206	1540			
7 x 2,5 mm <sup>2</sup>	13	237	385	542	1032	1339	2727		
1 x 50 mm <sup>2</sup>	14		364	454	881	1159	2265	2967	
5 x 6 mm <sup>2</sup>	15		297	430	749	1000	1991	2479	
1 x 95 mm <sup>2</sup>	16		239	358	632	860	1756	2205	
3 x 16 mm <sup>2</sup>	17		226	294	603	736	1545	1959	
10 x 2,5 mm <sup>2</sup>	18		218	281	505	705	1355	1737	
5 x 10 mm <sup>2</sup>	19		172	228	485	599	1184	1535	2722
4 x 16 mm <sup>2</sup>	20		165	219	402	576	1139	1352	2435
	21		159	211	387	485	991	1304	2172
	22		122	167	315	468	856	1145	1931
	23		117	161	304	389	827	999	1869
5 x 16 mm <sup>2</sup>	24		113	156	294	377	709	967	1657
1 x 185 mm <sup>2</sup>	25		110	151	285	365	688	639	1608
3 x 35 mm <sup>2</sup>	26		80	116	226	299	668	814	1419
3 x 50 mm <sup>2</sup>	27		78	113	221	290	567	700	1244
1 x 240 mm <sup>2</sup>	28		76	109	215	282	551	681	1211
24 x 2,5 mm <sup>2</sup>	29		73	106	209	226	462	663	1180
5 x 35 mm <sup>2</sup>	30		71	103	162	220	450	564	1028
4 x 50 mm <sup>2</sup>	31			76	157	214	438	550	1003
1 x 300 mm <sup>2</sup>	32			74	153	209	428	537	866
40 x 2,5 mm <sup>2</sup>	33			72	150	204	352	451	846
	34				146	158	344	441	828
3 x 95 mm <sup>2</sup>	35				108	154	336	431	707
5 x 50 mm <sup>2</sup>	36				105	151	329	422	692
4 x 70 mm <sup>2</sup>	37				103	148	265	348	678
3 x 120 mm <sup>2</sup>	38					144	259	341	664
	39					107	254	334	560
4 x 95 mm <sup>2</sup>	40					105	249	327	549
5 x 70 mm <sup>2</sup>	41					102	244	264	539
3 x 150 mm <sup>2</sup>	42					100	190	259	529
4 x 120 mm <sup>2</sup>	43						187	254	437
	44						183	249	430
	45						180	245	422
5 x 95 mm <sup>2</sup>	46						177	240	415
3 x 185 mm <sup>2</sup>	47						174	187	408
	48						129	184	330
4 x 120 mm <sup>2</sup>	49						127	181	325
5 x 120 mm <sup>2</sup>	50						125	178	319
	51						123	175	314
3 x 240 mm <sup>2</sup>	52						121	172	310
	53							170	305
4 x 185 mm <sup>2</sup>	54							126	230
	55							124	235
	56							122	232
	57							121	228
	58							119	225
5 x 150 mm <sup>2</sup>	59							117	222
3 x 240 mm <sup>2</sup>	60								219
	61								216

The cable examples shown correspond to the load capacity of the RUNPOLIFTER (less than 4500 kg).

Source: Leading cable dealers. All information are non-binding.

# RUNPOCAM RC2

## Multifunction-inspection-camera

10 m, 30 m and 50 m length



**Multifunction-inspection-camera** - compatible with all RUNPOTEC products with RTG Ø 6 mm thread

### INCLUDED ACCESSORIES:

- A** RUNPOGLIDER with front thread
- B** SYSTEMGLIDER
- C** High-performance 320-lumen rechargeable LED lamp
- D** Micro memory card 8 GB / adapter
- E** Magnet fishing-set
- F** Connection thread set, RTG Ø 6 mm (Blind cap, inside and outside connection thread)
- G** Stainless steel fishing hook
- H** Dual-USB charging adapter 12 V
- I** Flexible attachment 12 cm
- J** USB / Micro-USB charging cable 3 m
- K** Dual-USB charging adapter 230 V
- L** RC 2 thread attachment
- M** USB / Micro-USB charging cable 1 m



Item	Length	Item no.	Rec. trade price
<b>RUNPOCAM RC 2</b>	10 m	10139	<b>523,95 €</b>
Multifunction-inspection-camera in system-case	30 m	10140	<b>565,95 €</b>
	50 m	10141	<b>607,95 €</b>

**Application:** For pipe inspectionen for long distances up to 50m – but also for bigger pipe diameters (etc.). Minimum inner diameter of the conduit Ø 14 mm.

In combination with the RUNPOSTICKS outstanding for suspended ceilings, shafts, ventilation- and equipment inspection. Evidence gathering, recording function foto-, video- and audio documentation! Operation up to 6 hours.

Multifunction-inspection-camera with 6 integrated LED (**camera probe IP rating IP67**), enclosed in robust stainless steel head (Ø 13 mm) with RTG Ø 6 mm inside connecting thread – compatible to all RUNPOTEC products with RTG Ø 6 mm thread.



**SPECIAL OFFER**

1 x Profi-Set fiberglass rod Ø 4,5 mm, 50 m  
▶ description page 34

1 x RUNPOCAM RC2, 50 m

INSTEAD OF € 908,<sup>25</sup>

**€ 789,-**

plus tax.

RUNPOCAM RC2 - 50 m – fiberglass rod 50 m  
RUNPOTEC item no. 11140

Compatible with the following RUNPOTEC products

POWER REX	RUNPOSTICKS	RUNPO 1	PROFI-SET / STANDARD-SET	FIBERGLASS ROD
			Ø 4,5 mm, 6 mm 	Ø 7,5 mm, 9 mm, 11 mm, 15 mm 






Application examples – evidence gathering/recording function – foto, video and audio


Combination version – Compatible with all RUNPOTEC products with RTG Ø 6 mm thread

--	--	--	--	--

Item	Item no.	Rec. trade price
	<p><b>RC 2 camera probe with cable</b>            Ø 13 mm   IP 67   RTG Ø 6 mm            incl. camera reel</p> <p>10 m 20593            30 m 20560            50 m 20559</p> <p><b>camera reel RC 2 (Image 2)</b> 20608</p>	<p><b>194,25 €</b>  <b>271,95 €</b>  <b>312,90 €</b>  <b>26,25 €</b></p>
 <p><b>Detail:</b> Micro-USB charging socket</p>	<p><b>High-performance 320-lumen rechargeable LED lamp</b>            2 x RUNPOTEC RTG Ø 6 mm thread            (1 x vertical and 1 x horizontal) micro-USB charging socket for battery, IP67</p> <p>20485</p>	<p><b>41,90 €</b></p>
	<p><b>Systemglider RC2</b>            L 130 mm   B 58 mm   H 53 mm            RUNPOTEC RTG Ø 6 mm front thread</p> <p>20606</p>	<p><b>19,95 €</b></p>
	<p><b>RUNPOGLIDER with thread and swivel</b>            RUNPOTEC RTG Ø 6 mm thread</p> <p>20460</p>	<p><b>30,45 €</b></p>
	<p><b>Flexibel camera probe 0,8 m</b>            Ø 9 mm for RUNPOCAM            300.000 pixel (720 x 576)            Field of view 64°, IP rating IP 67            4 x LED (dimnable)</p> <p>20481</p>	<p><b>62,48 €</b></p>
 <p><b>EXTRA SLIM Ø 3,9 MM</b></p>	<p><b>Flexibel camera probe 1 m</b>            Ø 3,9 mm for RUNPOCAM            100.000 pixel (320 x 240)            Field of view 54°, IP rating IP 67            2 x LED (dimnable)</p> <p>20488</p>	<p><b>124,43 €</b></p>
	<p><b>RC2 thread attachment</b>            L 101 mm   B 16 mm   H 19 mm            RUNPOTEC RTG Ø 6 mm front thread</p> <p>20607</p>	<p><b>15,23 €</b></p>
	<p><b>Micro memory card 8 GB</b>            incl. card adapter</p> <p>20483</p>	<p><b>6,20 €</b></p>
	<p><b>Magnet fishing-set</b>            1,5 – 2,9 kg (pipe-Ø 16 – 40 mm)</p> <p>20475</p>	<p><b>20,58 €</b></p>
	<p><b>Connection thread set</b>            RUNPOTEC RTG Ø 6 mm thread            (set of 3 = 1 x inside, 1 x outside,            1 x blindcap)</p> <p>20484</p>	<p><b>8,51 €</b></p>
	<p><b>Functionglider with RTG Ø 6 mm</b>            (Image 1)</p> <p><b>Stainless steel fishing hook with RTG Ø 6 mm</b>            (Image 2)</p> <p>20468 20261</p>	<p><b>18,38 €</b>  <b>5,99 €</b></p>
	<p><b>Flexible attachment 12 cm</b>            stainless steel            RUNPOTEC RTG Ø 6 mm thread</p> <p>20509</p>	<p><b>7,04 €</b></p>
	<p><b>RUNPOTEC systemcase</b>            with RUNPOCAM RC2 case insert</p> <p>20612</p>	<p><b>49,35 €</b></p>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

	Item	Item no.	Rec. trade price
	<p><b>Cable lubricant - GEL</b> 1050 ml</p> <p><b>Not flammable</b> friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30064	<b>8,87 €</b>
	<p><b>Cable lubricant - GEL</b> 250 ml</p> <p><b>Not-flammable</b> friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30467	<b>4,41 €</b>
 <p data-bbox="164 1322 358 1368"><b>NON-INFLAMMABLE</b></p>	<p><b>Cable lubricant - SPRAY</b> 400 ml</p> <p><b>Special attachment</b> – spray large areas or open the tube for precise streams.</p> <p><b>Not flammable</b> excellent lubrication, non-stick, non-drying, colourless, odourless.</p>	20523	<b>8,19 €</b>
 <p data-bbox="164 1701 358 1747"><b>NON-INFLAMMABLE</b></p>	<p><b>Cable lubricant - FOAM</b> 400 ml</p> <p><b>Special attachment</b> – spray large areas or open the tube for precise streams.</p> <p><b>Not flammable</b> excellent lubrication, water-soluble, non-stick, non-drying, VOC-free.</p>	20522	<b>7,14 €</b>
	<p><b>Cable lubricant - LIQUID</b> 1000 ml</p> <p><b>Not flammable!</b> friction-reducing, non-stick and non-staining, colour- and odourless, water soluble</p>	30063	<b>7,23 €</b>

**RUNPO 5** with box

Triple twisted and 2 x



**NEW** RUNPOGLIDER<sup>®</sup> NOW WITH SWIVEL!

Triple twisted



**Beginning**



**RUNPOGLIDER with swivel Ø 7 mm**  
• pressed onto strand •



**Achtung!**  
Stromleitend  
Achtung!  
electric  
conductive

**Ending**




**RUNPOGLIDER with swivel Ø 7 mm**  
• pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
<b>RUNPO 5</b> incl. 2 x RUNPOGLIDER with swivel, triple twisted special plastic tape, outside Ø 5,3 mm, tension load: 270 kg	5,3 mm	20 m	10013	<b>131,15 €</b>
		30 m	10014	<b>146,90 €</b>

**Recommended tube diameter, bending radius and tension loads of the RUNPO 5**


Ø			
5,3 mm	16-40 mm	15 mm	incl. swivel 270 Kg

**Advantages of the RUNPO 5**



only punctual contact

**50% less friction resistance**



strand + pressing + RUNPOGLIDER + eyelet

**270 Kg total breaking load**



**Virtually break-free**  
even with tightest radii



**Advantages compared to fiberglass rod**

- ▶ no buckling
- ▶ no sticking
- ▶ thereby time savings

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



**SPECIAL OFFER**

1 x X BOARD XB300 with multi-function mandrel in RUNPOTEC system case, ▶ description page 8

1 x RUNPO 5, 30 m

INSTEAD OF € **358,70**

€ **305,-**  
plus tax

RUNPO 5 – XB 300 – MULTiset – offer  
RUNPOTEC item no. 10171



**SPECIAL OFFER**






1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage ▶ description page 34

1 x RUNPO 5, 30 m

INSTEAD OF € **447,20**

€ **349,20**  
plus tax

RUNPO 5 – PROFI-SET 60 m – offer  
RUNPOTEC item no. 11120

Item	Item no.	Rec. trade price
 <p>RUNPO 5 without box Ø 5,3 mm 2 x RUNPOGLIDER with swivel triple twisted special plastic tape outside Ø 5,3 mm, tension load: 270 kg</p>	<p>20240</p> <p>20241</p> <p>20242</p>	<p>99,65 €</p> <p>115,40 €</p> <p>131,15 €</p>
 <p>RUNPOTEC system-case with UNIVERSAL case insert</p>	20613	49,35 €
 <p>RUNPO 5 - empty BOX</p>	30146	31,60 €
<p><b>Accessories:</b> RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 5</p>		
 <p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	<p>Ø 4 – 6 mm</p> <p>Ø 6 – 9 mm</p> <p>Ø 9 – 15 mm</p>	<p>20272</p> <p>20273</p> <p>20274</p>
 <p>Example: The cap protects the plug from damage or pulling several cables together - see page 30</p>	<p>RUNPOFIX with hook – SET outside Ø 14   17   23   30 mm stainless steel   PU = 4 RUNPOFIX</p>	10159

**Information**





 Cable pulling grip range see page 32

# RUNPOSTICKS



















Comfort (19 parts) / Standard (17 parts)



Item	Ø	Length	Item no.	Rec. trade price
<b>RUNPOSTICKS Comfort (19 parts)</b> 10 x 1 meter RUNPOSTICKS, basalt rods with extreme bending radius, with stainless steel RUNPOTEC RTG Ø 6 mm thread, 5 x red/hard, 3 x black/medium, 2 x yellow/soft, 1 x RUNPOGLIDER, 1 x strong magnet, 1 x ball chain, 1 x eyelet with ring, 1 x fishing hook, 1 x connection thread, 1 x storage bag with shoulder strap for all the accessories. <b>Contains additionally a special sliding hook and shockproof LED-lamp</b>	4,5 mm (yellow)	2 x 1 m	10020	129,15 €
	5,5 mm (black)	3 x 1 m		
	7,5 mm (red)	5 x 1 m		
<b>RUNPOSTICKS Standard (17 parts)</b> Content: same as RUNPOSTICKS Comfort (see above) <b>without special sliding hook and shockproof LED-lamp.</b>			10016	108,15 €

Item	Item no.	Rec. trade price
 <p><b>Stainless steel special sliding hook</b> manages barriers up to 8 cm, many mounting possibilities for cable, excellent gliding behaviour for all surfaces RUNPOTEC RTG Ø 6 mm thread</p>	30239	18,38 €
 <p><b>Functionglider</b> RUNPOTEC RTG Ø 6 mm thread</p>	20468	18,38 €
 <p><b>LED-Lamp</b> very high luminosity, shockproof RUNPOTEC RTG Ø 6 mm thread</p>	20059	19,43 €
 <p><b>High-performance 320-lumen rechargeable LED lamp</b>, micro USB charging socket, <b>IP-rating: IP67</b> 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical und 1 x horizontal)</p> <p>Detail: Micro-USB charging socket</p>	20485	41,90 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. trade price
	10042	21,53 €
 <p>Video about the RUNPOGLIDER </p>	20238	30,45 €
	10043	17,33 €
	10044	17,85 €
	10045	18,38 €
	20457	10,71 €
	20261	5,99 €
	30236	4,83 €
	20260	8,19 €
	30210	3,78 €
	20262	8,82 €
	20428 20427	6,20 € 6,20 €
 <p>Data sheet fish hook set </p>	20614	22,05 €
	20455	15,12 €
	30009	19,95 €
 <p>Example: The cap protects the plug from damage or pulling several cables together - see page 30</p>	10154	39,80 €



**RUNPO 1**

Special plastic fish tape  $\varnothing$  4 mm with **RUNPOGLIDER**<sup>®</sup>



**RUNPOCAM COMPATIBLE**





Ending		Beginning		
 <p>Eyelet <math>\varnothing</math> 6 mm, RUNPOTEC RTG <math>\varnothing</math> 6 mm thread • screwed to strand •</p>		 <p>RUNPOGLIDER with special eyelet <math>\varnothing</math> 6 mm • pressed onto strand •</p>		
Item	$\varnothing$	Length	Item no.	Rec. trade price
<b>RUNPO 1</b>	4 mm	5 m	30027	15,12 €
Special plastic fish tape $\varnothing$ 4 mm		10 m	30028	16,17 €
1 x RUNPOGLIDER with special eyelet		15 m	30029	19,43 €
Ending: eyelet with RTG $\varnothing$ 6 mm thread		20 m	30030	22,68 €
Optimal pipe diameters:		25 m	30042	26,99 €
Tube $\varnothing$ 16, 25 and 32 mm		30 m	30043	31,29 €

**Recommended tube diameter, bending radius and tension loads of the RUNPO 1**

$\varnothing$				
4 mm	16-32 mm	15 mm	170 Kg	170 Kg

**Accessories:** RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 1

 <p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	$\varnothing$ 4 – 6 mm	20272	25,20 €
	$\varnothing$ 6 – 9 mm	20273	27,83 €
	$\varnothing$ 9 – 15 mm	20274	32,03 €
	eyelet-set $\varnothing$ 7 mm	20487	8,51 €



**RUNPO1 is not suitable for RT 2008!**

**1 x RUNPOGLIDER**

Excellent bending and sliding performance, large eyelet with up to 7 x 2.5 mm<sup>2</sup> cable take-up, perfect workmanship, no impact edges and high traction load.

**Also compatible for RUNPOCAM RC2!**

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



# POWER REX

Fiberglass rod with **RUNPOGLIDER**  
PATENTED FLEXIBLE SPEZIAL HEAD



**RUNPOCAM  
COMPATIBLE**



**NEW** RUNPOGLIDER NOW WITH SWIVEL!

### INCLUDED ACCESSORIES



#### Ending



Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread

#### Beginning



Achtung!  
Stromleitend  
Attention!  
électrique  
conductive

RUNPOGLIDER with swivel Ø 7 mm,  
RUNPOTEC RTG Ø 6 mm thread, screwed to strand

### Scope of delivery POWER REX / complete set





- 1 x RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread
- 1 x Fiberglass rod Ø 3 mm with 2 pressed stainless steel ending joints RTG Ø 6 mm thread
- 1 x Plastic housing
- 1 x Pulling grip
- 1 x Special glue 3 g
- 1 x Cable pulling grip 6 – 9 mm, with swivel, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 3 x Coupling joint Ø 6 mm, stainless steel
- 5 x Ending joint Ø 6 mm, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 2 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread











Item	Ø	Length	Item no.	Rec. trade price
<b>POWER REX</b>		20 m	10087	90,30 €
Complete set in a practical box see above: scope of delivery	3 mm	30 m	10088	102,90 €
		40 m	10089	113,40 €
		50 m	10090	125,90 €

Item	Item no.	Rec. trade price	
	<b>Spare fiberglass rod Ø 3 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread</b>		
	20 m	20413	36,75 €
	30 m	20104	48,72 €
	40 m	20105	53,55 €
	50 m	20106	59,54 €

**Recommended tube diameter, bending radius and tension loads of the POWER REX Ø 3 mm**


Ø				
3 mm	16–50 mm	55 mm	450 Kg	120 Kg

 <p>Video about the RUNPOGLIDER </p>	<b>RUNPOGLIDER with swivel</b> Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (only compatible with RUNPOTEC products)	20238	30,45€
	<b>RUNPOGLIDER with front thread</b> incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread	20460	30,45 €
	<b>Magnet fishing-set</b> 1,5 – 2,9 kg (tube-Ø 16 – 40 mm) 5 kg <b>strong</b> (tube-Ø 50 –100 mm)	20475 20476	20,58 € 41,69 €
	<b>Flexible starting head Ø 7 mm</b> stainless steel RUNPOTEC RTG Ø 6 mm thread	20116	6,83 €
	<b>Flexible starting head Ø 10 mm</b> stainless steel RUNPOTEC RTG Ø 6 mm thread	20303	7,14 €
	<b>Flexible starting head Ø 13 mm</b> stainless steel RUNPOTEC RTG Ø 6 mm thread	20119	7,35 €
	<b>Repairing kit for fiberglass rod Ø 3 mm</b> 1 x Special glue 3 g 4 x Ending joint Ø 6 mm, RUNPOTEC RTG Ø 6 mm thread 3 x Coupling joint Ø 6 mm 4 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread	20408	20,58 €

Item	Item no.	Rec. trade price
 <p><b>RUNPO Z cable pulling grip with swivel</b> stainless steel</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm</p> <p><b>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</b></p>	<p>20272 20273 20274</p>	<p><b>25,20 €</b> <b>27,83 €</b> <b>32,03 €</b></p>
 <p><b>Cable pulling grip with swivel</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 13 mm</p>	<p>20365 20366 20367</p>	<p><b>16,17 €</b> <b>17,33 €</b> <b>26,15 €</b></p>
 <p><b>Cable pulling grip with swivel</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm</p>	<p>20266 20267 20268 20269</p>	<p><b>36,65 €</b> <b>37,75 €</b> <b>38,96 €</b> <b>40,79 €</b></p>
 <p><b>Ending joint-set for Ø 3 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joints</p>	<p>20107</p>	<p><b>6,41 €</b></p>
 <p><b>Coupling joint-set for Ø 3 mm</b> stainless steel PU = 3 coupling joints</p>	<p>20108</p>	<p><b>6,41€</b></p>
 <p><b>Eyelet-set Ø 7 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 piece</p>	<p>20411</p>	<p><b>6,30 €</b></p>
 <p><b>Pull loop, stainless steel rope</b> RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)</p>	<p>20428 20427</p>	<p><b>6,20 €</b> <b>6,20 €</b></p>
 <p><b>Pulling grip for Ø 3 – 12 mm</b></p>	<p>30070</p>	<p><b>5,67 €</b></p>
 <p><b>Special glue</b> 3 g</p>	<p>30050</p>	<p><b>7,46 €</b></p>
 <p><b>NON-INFLAMMABLE</b></p> <p><b>SPRAY</b> 400 ml <b>FOAM SPRAY</b> 400 ml <b>Non inflammable</b> (with folding spray tube)</p> <p><b>GEL</b> 1000 g <b>GEL</b> 250 g</p>	<p>20523 20522 30064 30467</p>	<p><b>8,19 €</b> <b>7,14 €</b> <b>8,87 €</b> <b>4,41 €</b></p>

## RT 2008 Mechanical cable pull in tool

incl. RUNPOGLIDER spiral MET



1. Induct

2. Fix

3. Pump

Item / complete set	Item no.	Rec. trade price
<b>RUNPOTEC RT 2008 – tool for pushing RUNPOGLIDER spiral MET into conduits</b> Ø 16 , 20, 25, 32, 40 mm - Flexible attachment: 1 x Ø 20, 1 x Ø 25, 1 x Ø 32, 1 x Ø 40, 1 x attachment neutral socket flexible, 2 x plug coupling, 1 x beltclip, 1 x RUNPOTEC system case with RT 2008 case insert. <b>RUNPOGLIDER spiral MET – 15 m</b>	10000	<b>271,95 €</b>
Item	Item no.	Rec. trade price
	<b>RUNPOTEC RT 2008</b> incl. clamping element	20004 <b>161,70 €</b>
	<b>Set belt clip + plug coupling</b>	20333 <b>7,56 €</b>
	<b>Plug-in attachment Ø 20 mm</b>	20020 <b>7,98 €</b>
	<b>Plug-in attachment Ø 25 mm</b>	20025 <b>7,98 €</b>
	<b>Plug-in attachment Ø 32 mm</b>	20032 <b>7,98 €</b>
	<b>Plug-in attachment Ø 40 mm</b>	20040 <b>7,98 €</b>
	<b>Plug-in attachment socket flexible</b>	20010 <b>7,35 €</b>
	<b>Plug-in Attachment 90° flush connector</b> (also for pipe Ø 20 mm)	20253 <b>15,65 €</b>
	<b>RUNPOTEC system case</b> with RT 2008 case insert	20611 <b>49,35 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021.  
All illustrations are symbol photos. Typing and printing errors reserved.



# RUNPOGLEITER SPIRALE MET

Steel fish tape Ø 4 mm with







3 times offset wound metal spiral



<b>Ending</b>	<b>Beginning</b>
 <b>eyelet Ø 6 mm</b> • pressed onto strand •	 <b>RUNPOGLIDER with special eyelet Ø 6 mm</b> • pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
<b>RUNPOGLIDER spiral MET</b> (MET = Metal spiral) Tension load: 170 Kg optimum diameter: Tube-Ø: 16, 25 and 32 mm	4 mm	5 m	30054	17,33 €
		10 m	30017	23,73 €
		15 m	30018	30,66 €
		20 m	30019	38,43 €
		25 m	30020	45,47 €
		30 m	30021	49,25 €
		Lengths up to 50 m possible		

**Recommended tube diameter, bending radius and tension loads of the RUNPOGLIDER spiral MET**

$\varnothing$				
4 mm	16–32 mm	25 mm	170 Kg	170 Kg

**Accessories:** RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPOGLIDER spiral MET

 RUNPO Z-Quick connection compatible with RUNPOGLIDER!		Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm	20272 20273 20274	25,20 € 27,83 € 32,03 €
--	---	---	-------------------------	-------------------------------



Optimal in combination with the revolutionary RT 2008

**RUNPOFIX**  
Cable pulling loop with protective cap

**Protects plugs against damage.**

Minimum inner diameter of the conduits or non-guided lines Ø 14 mm.

**Example:** cable pulling loop with protective cap and cable with plug



**RUNPOFIX** – pulling force transferred to the cable



**RUNPOFIX** – protective cap for the plug



**RUNPOFIX** – in 4 variants for different plug sizes.





**RUNPOFIX with hook**



Item	Protective caps inner Ø	Protective caps outer Ø	Total breaking load	Item no.	Rec. trade price
<b>RUNPOFIX with hook – SET</b> stainless steel   PU = 4 RUNPOFIX	12   15   20   27 mm	14   17   23   30 mm	100 kg	10159	<b>39,80 €</b>
<b>RUNPOFIX with hook</b> Cable pulling loop with protective cap stainless steel	12 mm	14 mm		20628	<b>13,55 €</b>
	15 mm	17 mm		20629	<b>14,07 €</b>
	20 mm	23 mm		20630	<b>14,60 €</b>
	27 mm	30 mm		20631	<b>15,12 €</b>

**RUNPOFIX with RTG 6 mm thread**



Item	Protective caps inner Ø	Protective caps outer Ø	Total breaking load	Item no.	Rec. trade price
<b>RUNPOFIX with RTG 6 mm thread – SET</b> stainless steel RUNPOTEC RTG Ø 6 mm thread   PU = 4 RUNPOFIX	12   15   20   27 mm	14   17   23   30 mm	100 kg	10154	<b>39,80 €</b>
<b>RUNPOFIX with RTG 6 mm thread</b> stainless steel RUNPOTEC RTG Ø 6 mm thread	12 mm	14 mm		20624	<b>13,55 €</b>
	15 mm	17 mm		20625	<b>14,07 €</b>
	20 mm	23 mm		20626	<b>14,60 €</b>
	27 mm	30 mm		20627	<b>15,12 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



**RUNPO Z**

**RUNPO Z cable pulling grip with swivel and additional quick connection.**  
 Made of high quality stainless steel weave with extended service lifetime!  
 Tension load 200 Kg.  
**Connectable with RUNPO 5, RUNPO 1, POWER REX, RUNPOSTICKS, fiberglass rod Ø 4,5 mm and 6 mm.**




①




②

Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
<b>RUNPO Z cable pulling grip with swivel</b> stainless steel	280 mm	200 kg	Ø 4 – 6 mm	20272	<b>25,20 €</b>
	310 mm		Ø 6 – 9 mm	20273	<b>27,83 €</b>
	460 mm		Ø 9 – 15 mm	20274	<b>32,03 €</b>




**Cable pulling grip with RTG Ø 6 mm thread and swivel.**  
 Made of high quality stainless steel weave with extended service lifetime!  
**Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.**

**Advantage swivel:** Cable can rotate in the tube and prevents unintentional screwing of the thread.




Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
<b>Cable pulling grip with swivel</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread	200 mm	120 kg	Ø 4 – 6 mm	20365	<b>16,17 €</b>
	220 mm		Ø 6 – 9 mm	20366	<b>17,33 €</b>
	320 mm		Ø 9 – 13 mm	20367	<b>26,15 €</b>




**Cable pulling grip with loop and swivel.**  
 Made of high quality stainless steel weave with extended service lifetime!  
**Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.**

**Advantage swivel:** Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
<b>Cable pulling grip with loop and swivel</b> loop length 100 mm, stainless steel	270 mm	200 kg	Ø 4 – 6 mm	30039	<b>18,76 €</b>
	290 mm		Ø 6 – 9 mm	30040	<b>20,65 €</b>
	390 mm		Ø 9 – 13 mm	30041	<b>31,90 €</b>



**Cable pulling grip with loop and RTG Ø 6 mm thread incl. swivel.** Made of high quality stainless steel weave. High material quality with extended lifetime! **Connectable with POWER REX, RUNPOSTICKS and Fiberglass rod Ø 4,5 mm, Ø 6 mm, Ø 7,5 mm, Ø 9 mm und Ø 11 mm.**  
**Advantage swivel:** Cable can rotate in the tube and prevents unintentional screwing of the thread.

Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
<b>Cable pulling grip with loop and thread incl. swivel</b> RUNPOTEC RTG Ø 6 mm thread stainless steel	430 mm	180 kg	Ø 9 – 15 mm	20266	<b>36,65 €</b>
	480 mm		Ø 15 – 19 mm	20267	<b>37,75 €</b>
	480 mm		Ø 19 – 25 mm	20268	<b>38,96 €</b>
	530 mm		Ø 25 – 31 mm	20269	<b>40,79 €</b>

Accessories	Item no.	Rec. trade price
 <b>RUNPO Z Adapter</b> RUNPOTEC RTG Ø 6 mm thread RUNPO Z Adapter can connect all cable pulling grips with RTG Ø 6 mm to all RUNPOGLIDER eyelets	20388	<b>19,95 €</b>



**Cable pulling grip with loop and swivel - preferably combined with fiberglass rod**  
 Made of high quality stainless steel weave. High material quality with extended service lifetime!  
**Connectable with RUNPOTEC RTG Ø 12 mm and RTG Ø 6 mm thread.**  
**Advantage swivel:** Cable can rotate in the tube and prevents unintentional screwing of the thread.


Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
<b>Cable pulling grip with loop and thread incl. swivel</b> RUNPOTEC RTG Ø 12 mm thread and additional thread RTG Ø 6 mm stainless steel	920 mm	1200 kg	Ø 30 – 40 mm	20436	<b>56,18 €</b>
	1020 mm		Ø 40 – 50 mm	20437	<b>59,54 €</b>
	1120 mm		Ø 50 – 60 mm	20438	<b>63,84 €</b>
	1220 mm		Ø 60 – 70 mm	20439	<b>71,40 €</b>
	1320 mm		Ø 70 – 85 mm	20440	<b>84,32 €</b>
	1420 mm		Ø 85 – 100 mm	20441	<b>99,54 €</b>




**Cable pulling grip with loop** (preferably combined with capstan winch CW 800 E)  
 Cable grip with loop. Made of flexible, galvanized steel double weave. For permanent pulling it is recommended to work in combination with the connection swirl (Item nr. 10176).

Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
<b>Cable pulling grip with loop in combination with capstan winch CW 800 E</b> Flexible double steel wire braid - Long service life	600 mm	1019 kg	Ø 10 - 15 mm	20661	<b>36,70 €</b>
	600 mm	2080 kg	Ø 15 - 20 mm	20662	<b>37,80 €</b>
	600 mm	2080 kg	Ø 20 - 25 mm	20663	<b>38,90 €</b>
	1000 mm	2080 kg	Ø 25 - 30 mm	20664	<b>43,00 €</b>
	1250 mm	3059 kg	Ø 30 - 40 mm	20665	<b>48,30 €</b>
	1250 mm	4078 kg	Ø 40 - 50 mm	20666	<b>53,60 €</b>
	1500 mm	4996 kg	Ø 50 - 60 mm	20667	<b>62,00 €</b>
	1500 mm	4996 kg	Ø 60 - 70 mm	20668	<b>72,50 €</b>
	1500 mm	4996 kg	Ø 70 - 85 mm	20669	<b>85,00 €</b>
	1500 mm	5812 kg	Ø 85 - 100 mm	20670	<b>96,60 €</b>

**CAPSTAN WINCH  
CW 800 E  
COMPATIBLE**



Accessories	Item no.	Rec. trade price
 <b>connection swirl with swivel</b>   Ø 30 mm   L 144 mm stainless steel   tension load 1500 kg   fork-Ø 12 mm	10176	<b>177,45 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



**Cabel examples with diameters**

**Cabel pulling grip**

Cable-symbolphoto	Cable Ø	Cable section	Cable identification	Ø	Item no.
	5 mm	2 x 0,5 mm <sup>2</sup>	Loudspeaker	4-6 mm	20272
	5,4 mm	-	Phone	4-6 mm	20365
				4-6 mm	30039
	7 mm	-	CAT5/6/7	6-9 mm	20273
	7 mm	1 x 6 mm <sup>2</sup>	NYM-J	6-9 mm	20366
	8 mm	-	Coaxial	6-9 mm	30040
	9 mm	3 x 1,5 mm <sup>2</sup>	NYM-O		
	10 mm	3 x 2,5 mm <sup>2</sup>	NYM	9-13 mm	20367
	10 mm	1 x 10 mm <sup>2</sup>	NYO	9-13 mm	30041
	10 mm	1 x 16 mm <sup>2</sup>	NYM-O	9-15 mm	20274
	11 mm	7 x 1,5 mm <sup>2</sup>	NYM-O	9-15 mm	20266
	11 mm	5 x 2,5 mm <sup>2</sup>	NYM	10 - 15 mm	20661
	11 mm	5 x 1,5 mm <sup>2</sup>	NYO		
	13 mm	3 x 2,5 mm <sup>2</sup>	NYO		
	14 mm	1 x 35 mm <sup>2</sup>	NYO		
	15 mm	12 x 1,5 mm <sup>2</sup>	NYM-JZ		
	15 mm	7 x 2,5 mm <sup>2</sup>	NYM		
	15 mm	3 x 6 mm <sup>2</sup>	NYM-J		
	15 mm	-	CAT6 duplex		
	17 mm	16 x 1,5 mm <sup>2</sup>	NYM-J	15-19 mm	20267
	17 mm	5 x 6 mm <sup>2</sup>	NYM-J	15 - 20 mm	20662
	18 mm	4 x 10 mm <sup>2</sup>	NYM-J		
	18 mm	1 x 95 mm <sup>2</sup>	NYO		
	20 mm	10 x 2,5 mm <sup>2</sup>	NYCY	19-25 mm	20268
	21 mm	5 x 10 mm <sup>2</sup>	NYO	20 - 25 mm	20663
	22 mm	12 x 2,5 mm <sup>2</sup>	NYCY		
	22 mm	4 x 16 mm <sup>2</sup>	NYM-J		
	24 mm	7 x 6 mm <sup>2</sup>	NYCY		
	25 mm	1 x 185 mm <sup>2</sup>	NYO		
	28 mm	3 x 35 mm <sup>2</sup>	NYCWY	25-31 mm	20269
	29 mm	24 x 2,5 mm <sup>2</sup>	NYCY	25 - 30 mm	20664
	32 mm	1 x 300 mm <sup>2</sup>	NYO	30-40 mm	20436
	33 mm	40 x 2,5 mm <sup>2</sup>	NYO		20665
	34 mm	5 x 35 mm <sup>2</sup>	NYM-J		
	40 mm	3 x 95 mm <sup>2</sup>	NYCWY		
	45 mm	3 x 120 mm <sup>2</sup>	NYCWY	40-50 mm	20437
	47 mm	3 x 150 mm <sup>2</sup>	NYCWY		20666
	52 mm	5 x 95 mm <sup>2</sup>	NYO	50-60 mm	20438
	54 mm	3 x 185 mm <sup>2</sup>	NYCWY		20667
	60 mm	3 x 240 mm <sup>2</sup>	NYCWY		
	63 mm	4 x 240 mm <sup>2</sup>	NYO	60-70 mm	20439
					20668

Fiberglass rod Ø 4,5 mm with steel cage incl. the new double run-out system

**Profi-Set**

included accessories



**Standard-Set**

without accessories



Fiberglass rod Ø 4,5 mm

incl. Accessories

**RUNPOCAM  
COMPATIBLE**




Edning Profi Set and Standard Set		Beginning: Profi-Set and Standard Set	
Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread		RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread	
		• screwed to strand • 	
			

Ø	Length	Profi-Set equipment	Item no.	Rec. trade price	Standard-Set equipment	Item no.	Rec. trade price
4,5 mm	30 m	• double-run-out system	10052	<b>228,90 €</b>	• double-run-out system	10054	<b>168,00 €</b>
	40 m	• extractable standing feet	10055	<b>254,10 €</b>	• robust steel cage	10056	<b>192,15 €</b>
	50 m	• storage compartment	10057	<b>277,20 €</b>	• locking brake	10058	<b>215,25 €</b>
	60 m	• robust steel cage	10047	<b>300,30 €</b>		10048	<b>238,35 €</b>
	80 m	• locking brake	10050	<b>348,60 €</b>		10051	<b>285,60 €</b>
			• extensive accessories (see below)				


Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)	
2 x ending joint 1 x coupling joint 1 x shackle 1 x special glue	1 x aluminium roller 1 x RUNPOGLIDER with front thread
	

The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.




extractable standing feet

All Profi and Standard sets are equipped with a lateral locking brake and **the new double-run-out system** (quick outlet and automatic run-out brake) from RUNPOTEC!



Quick run with rollers



automatic run-out brake

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



**SPECIAL OFFER**

1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage

1 x RUNPO 5, 30 m  
▶ description page 20




INSTEAD OF € 447,<sup>20</sup>



€ 349,<sup>20</sup>  
plus tax














RUNPO 5 – PROFI-SET 60 m – offer  
RUNPOTEC Item no. 11120

Item	Item no.	Rec. trade price
 <p>Spare fiberglass rod Ø 4,5 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread</p>	30 m	72,66 €
	40 m	86,31 €
	50 m	99,96 €
	60 m	115,71 €
	80 m	143,01 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 4,5 mm

Ø			
4,5 mm	30 – 80 mm	120 mm	1300 Kg

 <p>Video about the RUNPOGLIDER </p>	<p><b>RUNPOGLIDER</b> with thread and swivel Ø 7 mm, tension load: &gt; 270 kg RUNPOTEC RTG Ø 6 mm thread (Only compatible with RUNPOTEC products)</p>	20460	30,45 €
 <p>SYMBOL PICTURE</p>	<p><b>Flexible starting head</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 7 mm Ø 10 mm Ø 13 mm</p>	20116 20303 20119	6,83 € 7,14 € 7,35 €
 <p><b>Information</b>  Cable pulling grip range see page 32</p>	<p><b>Cable pulling grip with swivel</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm</p>	20266 20267 20268 20269	36,65 € 37,75 € 38,96 € 40,79 €
	<p><b>Roller</b> Ø 25 mm aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20279	16,28 €
	<p><b>Shackle</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20280	13,55 €

Item	Item no.	Rec. trade price
 <p><b>Repair kit</b> for Ø 4,5 mm 1 x Special glue 3 g 2 x Ending joint, <b>RTG Ø 6 mm</b> 1 x Coupling joint</p>	20250	<b>19,95 €</b>
 <p><b>Ending joint set</b> for Ø 4,5 mm stainless steel, RUNPOTEC <b>RTG Ø 6 mm</b> thread PU = 3 ending joint</p>	20322	<b>9,87 €</b>
 <p><b>Coupling joint set</b> for Ø 4,5 mm stainless steel PU = 3 coupling joint</p>	20323	<b>12,50 €</b>
 <p><b>Eyelet</b> Ø 8 mm stainless steel, RUNPOTEC <b>RTG Ø 6 mm</b> thread</p>	30208	<b>4,31 €</b>
 <p><b>Eyelet-set</b> Ø 7 mm</p>	20487	<b>8,51 €</b>
 <p><b>Swivel joint</b> stainless steel, RUNPOTEC <b>RTG Ø 6 mm</b> thread</p>	20251	<b>21,32 €</b>
 <p><b>Pull loop</b>, stainless steel rope RUNPOTEC <b>RTG Ø 6 mm</b> thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)</p>	20428 20427	<b>6,20 €</b> <b>6,20 €</b>
 <p><b>Special glue</b> 3 g</p>	30050	<b>7,46 €</b>
 <p><b>2 components special glue</b> 24 ml</p>	30067	<b>19,74 €</b>
 <p><b>Pulling grip</b> for Ø 3 – 12 mm</p>	30070	<b>5,67 €</b>
 <p><b>Extendable standing feet</b> and storage compartment PU = 1 piece</p>	20278	<b>37,80 €</b>
 <p><b>Profi steel cage</b> for Ø 4,5 mm <b>incl. double run-out system</b> with extendable standing feet and storage compartment for accessories galvanized/powder coated Ø 330 mm</p>	20402	<b>161,70 €</b>
 <p><b>Steel cage</b> for Ø 4,5 mm <b>incl. double run-out system</b> galvanized/powder coated Ø 330 mm</p>	20002	<b>117,60 €</b>

#### Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Fiberglass rod Ø 6 mm with steel cage incl. the new double-run-out system

**Profi-Set**

included accessories



**Standard-Set**

without accessories



**RUNPOCAM  
COMPATIBLE**



**VIDEO**

Fiberglass rod  
Ø 6 mm

incl. Accessories



Ending: Profi-Set and Standard-Set				Beginning: Profi-Set and Standard-Set			
Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread 				RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread • screwed to strand • 			

Ø	Length	Profi-Set equipment	Item no.	Rec. trade price	Standard-Set equipment	Item no.	Rec. trade price
6 mm	40 m	• double-run-out system	10059	<b>283,50 €</b>	• double-run-out system	10060	<b>233,10 €</b>
	50 m	• extractable standing feet	10061	<b>307,65 €</b>	• robust steel cage	10062	<b>257,25 €</b>
	60 m	• storage compartment	10063	<b>336,00 €</b>	• locking brake	10064	<b>285,60 €</b>
	80 m	• robust steel cage • locking brake • extensive accessories (see below)	10065	<b>394,80 €</b>		10066	<b>344,40 €</b>

**Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)**

2 x ending joint	1 x aluminium roller	
1 x coupling joint	1 x RUNPOGLIDER with front thread	
1 x shackle		
1 x special glue		

The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.

extractable standing feet




All Profi and Standard sets are equipped with a lateral locking brake and **the new double-run-out system** (quick outlet and automatic run-out brake) from RUNPOTEC!












Quick run with rollers












automatic run-out brake

Item	Item no.	Rec. trade price
 <p><b>Spare fiberglass rod Ø 6 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread</b></p>	40 m	20317 <b>93,45 €</b>
	50 m	20318 <b>113,93 €</b>
	60 m	20319 <b>130,41 €</b>
	80 m	20320 <b>165,48 €</b>

**Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 6 mm**

Ø			
6 mm	40 – 100 mm	168 mm	2200 Kg

 <p><b>RUNPOGLIDER with thread and swivel</b> incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread</p> <p>Video about the RUNPOGLIDER </p>	20460	<b>30,45 €</b>
 <p><b>Flexible starting head Ø 7 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20116	<b>6,83 €</b>
 <p><b>Flexible starting head Ø 10 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20303	<b>7,14 €</b>
 <p><b>Flexible starting head Ø 13 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20119	<b>7,35 €</b>
 <p><b>Cable pulling grip with swivel</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p><b>Information</b> Cable pulling grip range see <b>page 32</b></p>	Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm	20266 <b>36,65 €</b> 20267 <b>37,75 €</b> 20268 <b>38,96 €</b> 20269 <b>40,79 €</b>
 <p><b>Roller Ø 25 mm,</b> aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20279	<b>16,28 €</b>
 <p><b>Shackle</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20280	<b>13,55 €</b>
 <p><b>Eyelet Ø 8 mm</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	30208	<b>4,31 €</b>
 <p><b>Eyelet-set Ø 7 mm</b></p>	20487	<b>8,51 €</b>
 <p><b>Swivel joint</b> stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20251	<b>21,32 €</b>

Item	Item no.	Rec. trade price
	20252	<b>35,70 €</b>
	20316	<b>11,03 €</b>
	20321	<b>12,50 €</b>
	20428	<b>6,20 €</b>
	20427	<b>6,20 €</b>
	30050	<b>7,46 €</b>
	30067	<b>19,74 €</b>
	30070	<b>5,67 €</b>
	20278	<b>37,80 €</b>
	20403	<b>204,75 €</b>
	20300	<b>150,36 €</b>

**Information**

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

## Flexible leading head-set – RUNPOSTICKS 13 parts




Item	Item no.	Rec. trade price
<b>Flexible leading head-set – RUNPOSTICKS 13 parts</b> <b>Included accessories</b> of flexible leading head-set with RUNPOTEC RTG Ø 6 mm thread: 2 x RUNPOSTICKS Ø 4,5 mm, 2 x RUNPOSTICKS Ø 5,5 mm, 2 x RUNPOSTICKS Ø 7,5 mm, RUNPOGLIDER w. front thread, roller Ø 25 mm, 3 x coupling joint, blindcap, starting head Ø 20 mm	20442	89,78 €

**Flexible leading head-set:** can be adapted on roller, shackle, starting head Ø 20 mm, Ø 30 mm




### Description




The RUNPOSTICKS can each be extended by 1 m and adapted as **flexible leading head-set** on fiberglass rods Ø 7,5 / 9 and 11 mm to get **around narrow bends**. It is **additionally possible** to screw on accessories such as the roller or RUNPOGLIDER at the tip with compensation for angular movement.

### Application example: flexible leading head-set




Fiberglass rod Ø 7,5 - 9 or 11 mm stops at to narrow radii from of the tube.



### Solution with flexible leading head-set

Taper off through the flexible RUNPOSTICKS Ø 4,5 mm (yellow), Ø 5,5 mm (black) or Ø 7,5 mm (red). Thereby it makes it possible to get over the last bend or radii.



Additional manual haul support possible.

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.




# Fiberglass rod Ø 7,5/9 mm with wheeled steel cage incl. new double-run-out system

**INCLUDES NEW DOUBLE RUN-OUT SYSTEM**




automatic run-out brake



Quick run with mounted rollers

**Additional option:**  
Flexible leading head - set  
see page 40



Adaptable leading heads



**METERCOUNTER** standard feature for all cages  
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with  
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm



**VIDEO**

Fiberglass rod  
Ø 7,5 mm, 9 mm  
and 11 mm

**INCLUSIV ACCESSORIES:**

- 1 x Mobile fiberglass rod incl. double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

**Ending**



**Ending joint**, stainless steel with RUNPOTEC RTG Ø 12 mm thread


**Beginning**






**Shackle**, stainless steel with RUNPOTEC RTG Ø 12 mm thread  
• screwed to strand •












Ø	Cage	Length	Item no.	Rec. trade price
7,5 mm	wheeled Ø 730 mm	40 m	10076	401,10 €
		50 m	10077	420,00 €
		60 m	10078	437,85 €
		80 m	10079	474,60 €
		100 m	10080	507,15 €
		120 m	10091	537,60 €

Ø	Cage	Length	Item no.	Rec. trade price
9 mm	wheeled Ø 730 mm	40 m	10081	404,25 €
		50 m	10082	430,50 €
		60 m	10083	457,80 €
		80 m	10084	507,15 €
		100 m	10085	550,20 €
		120 m	10086	578,55 €
		150 m	10110	659,00 €





Item	Item no.	Rec. trade price	
	<b>Spare fiberglass rod Ø 7,5 mm with ending couplings,</b> RUNPOTEC RTG Ø 12 mm thread		
	40 m	20368	114,45 €
	50 m	20369	129,15 €
	60 m	20370	145,95 €
	80 m	20371	182,70 €
	100 m	20372	215,25 €
	120 m	20414	247,80 €
	<b>Spare fiberglass rod Ø 9 mm with ending couplings,</b> RUNPOTEC RTG Ø 12 mm thread		
	40 m	20373	128,10 €
	50 m	20374	151,20 €
	60 m	20375	175,35 €
	80 m	20376	218,40 €
	100 m	20377	273,00 €
	120 m	20378	308,70 €
	150 m	20562	368,00 €

**Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 7,5 mm/Ø 9 mm**

Ø			
7,5 mm	50–120 mm	500 mm	3400 Kg
9 mm	60–200 mm	620 mm	4500 Kg

	<b>Cross section</b>  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Roller Ø 50 mm - aluminium / stainless steel - RUNPOTEC RTG Ø 12 mm thread</b> <b>incl. connection thread and Blind cap</b>	20382	35,70 €
	<b>Cross section</b>  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Shackle - stainless steel</b> RUNPOTEC RTG Ø 12 mm thread <b>incl. connection thread and Blind cap</b>	20383	24,89 €
	<b>Cross section</b>  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Starting head Ø 30 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread</b> <b>incl. connection thread and Blind cap</b>	20404	22,68 €
	<b>Cross section</b>  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Starting head Ø 20 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread</b> <b>incl. connection thread and Blind cap</b>	20409	20,58 €
			<b>Swivel joint</b> stainless steel RUNPOTEC RTG Ø 12 mm thread	20387	31,40 €
			<b>Metercounter</b> for steel cage Ø 730 mm	20461	99,54 €
			<b>Runout rollers - Repair Kit (4 parts)</b> for steel cage Ø 730 mm and 1000 mm	20646	28,30 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. trade price
 <p>Repair manual www.runpotec.com</p>	<p><b>Complete repair kit</b> 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint for Ø 7,5 mm for Ø 9 mm</p>	<p>20384 <b>42,00 €</b> 20385 <b>46,20 €</b></p>
	<p><b>Ending joint</b> stainless steel, RUNPOTEC RTG Ø 12 mm thread for Ø 7,5 mm for Ø 9 mm</p>	<p>20381 <b>9,24 €</b> 20379 <b>9,24 €</b></p>
	<p><b>Coupling joint</b> stainless steel for Ø 7,5 mm for Ø 9 mm</p>	<p>20380 <b>12,50 €</b> 20412 <b>12,92 €</b></p>
	<p><b>Blind cap set</b> RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set</p>	<p>20443 <b>5,25 €</b></p>
	<p><b>2 components special glue</b> 24 ml</p>	<p>30067 <b>19,74 €</b></p>
	<p><b>Wheeled steel cage incl. double run-out system and metercounter</b> for Ø 7,5 mm and 9 mm galvanized / powder coated Ø 730 mm</p>	<p>20405 <b>290,85 €</b></p>
	<p><b>SPRAY</b> 400 ml <b>FOAM SPRAY</b> 400 ml <b>Non inflammable</b> (with folding spray tube)</p> <p><b>GEL</b> 1000 g <b>GEL</b> 250 g</p>	<p>20523 <b>8,19 €</b> 20522 <b>7,14 €</b></p> <p>30064 <b>8,87 €</b> 30467 <b>4,41 €</b></p>
	<p><b>LIQUID lubricant</b> 1000 ml</p>	<p>30063 <b>7,23 €</b></p>

**RUNPOCAM COMPATIBLE**

The RUNPOCAM RC2 – Multifunction-inspection-camera is also compatible with fiberglass rod Ø 7,5 mm, Ø 9 mm, Ø 11 mm and Ø 15 mm.  
This allows the coupling thread RTG Ø 12 mm to RTG Ø 6 mm thread.



# Fiberglass rod Ø 11 mm with wheeled steel cage incl. new double run-out system

**VIDEO**


Fiberglass rod  
Ø 7,5 mm, 9 mm  
and 11 mm



## INCLUDED NEW DOUBLE RUN-OUT SYSTEM



automatic run-out brake



Quick run with mounted rollers

**Additional option:**  
Cage - flexible leading head - set  
see page 40



Adaptable leading heads



**METERCOUNTER** is standard included within all cages  
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with  
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

### INCLUSIV ACCESSORIES:

- 1 x Mobile fiberglass rod incl. double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

### Ending



**Ending joint**, stainless steel with RUNPOTEC RTG Ø 12 mm thread

### Beginning



**Shackle**, stainless steel with RUNPOTEC RTG Ø 12 mm thread  
• screwed to stand •





Ø	Cage	Length	Item no.	Rec. trade price
11 mm	wheeled Ø 1000 mm	100 m	10092	<b>670,95 €</b>
		120 m	10093	<b>733,95 €</b>
		150 m	10094	<b>828,45 €</b>
		200 m	10095	<b>985,95 €</b>
		250 m	10096	<b>1153,95 €</b>
		300 m	10097	<b>1258,95 €</b>

Item	Item no.	Rec. trade price
<b>Spare fiberglass Ø 11 mm with ending couplings</b> RUNPOTEC RTG Ø 12 mm thread	100 m	<b>460,95 €</b>
	120 m	<b>471,45 €</b>
	150 m	<b>586,95 €</b>
	200 m	<b>733,95 €</b>
	250 m	<b>870,45 €</b>
	300 m	<b>1017,45 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

Item			Item no.	Rec. trade price
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Roller Ø 50 mm</b> - aluminium / stainless steel -RUNPOTEC RTG Ø 12 mm thread <b>incl. connection thread and Blind cap</b>	20382 <b>35,70 €</b>
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Shackle</b> - stainless steel RUNPOTEC RTG Ø 12 mm thread <b>incl. connection thread and Blind cap</b>	20383 <b>24,89 €</b>
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Starting head Ø 30 mm</b> -stainless steel RUNPOTEC RTG Ø 12 mm thread <b>incl. connection thread and Blind cap</b>	20404 <b>22,68 €</b>
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	<b>Starting head Ø 20 mm</b> - stainless steel RUNPOTEC RTG Ø 12 mm thread <b>incl. connection thread and Blind cap</b>	20409 <b>20,58 €</b>
			<b>Swivel joint</b> stainless steel RUNPOTEC RTG Ø 12 mm thread	20387 <b>31,40 €</b>
			<b>Repair kit for Ø 11 mm</b> 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint <small>Repair manual www.runpotec.com</small>	20424 <b>53,97 €</b>
			<b>Ending joint for Ø 11 mm</b> stainless steel RUNPOTEC RTG Ø 12 mm thread	20422 <b>10,71 €</b>
			<b>Coupling joint for Ø 11 mm</b> stainless steel	20423 <b>15,12 €</b>
			<b>Blind cap set</b> RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set	20443 <b>5,25 €</b>
			<b>2 components special glue</b> 24 ml	30067 <b>19,74 €</b>
			<b>wheeled steel cage inkl. double run-out system and metercounter</b> for Ø 11 mm galvanized / powder coated Ø 1000 mm	20416 <b>362,25 €</b>
			<b>Metercounter</b> for steel cage Ø 1000 mm	20462 <b>104,90 €</b>
			<b>Runout rollers - Repair kit (4 parts)</b> for steel cage Ø 730 mm and 1000 mm	20646 <b>28,30 €</b>

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 11 mm

			
11 mm	80 – 250 mm	770 mm	6200 Kg

Information




Cable pulling grip range see **page 32**

**Fiberglass rod Ø 15 mm** with wheeled steel cage – galvanized/powder coated



Symbol picture

**Additional option:**  
Cage - flexible leading head - set  
see page 40



Adaptable leading heads



**METERCOUNTER** is standard included within all cages  
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with  
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm








**INCLUSIV ACCESSORIES:**

- 1 x Mobile fiberglass rod without double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides





Ending		Beginning		
Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread		Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread • screwed to strand •		
Ø	Cage	Length	Item no.	Rec. trade price
15 mm	wheeled Ø 1400 mm	150 m	10099	2311,05 €
		200 m	10100	2547,30 €
		250 m	10101	2806,65 €
		300 m	10102	3042,90 €
		350 m	10103	3302,25 €
		400 m	10104	3567,90 €

Item	Item no.	Rec. trade price	
	<b>Spare fiberglass Ø 15 mm</b> with ending couplings RUNPOTEC RTG Ø 12 mm thread		
	150 m	20491	934,50 €
	200 m	20492	1153,95 €
	250 m	20493	1401,75 €
	300 m	20494	1646,40 €
	350 m	20495	1887,90 €
400 m	20496	2171,40 €	

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

Item		Item no.	Rec. trade price
	<p>Cross section </p> <p>incl. Connection thread (for flexible leading head or small-sized cable pulling grip)</p> <p>RTG Ø 12 mm RTG Ø 6 mm</p>	20382	35,70 €
	<p>Cross section </p> <p>incl. Connection thread (for flexible leading head or small-sized cable pulling grip)</p> <p>RTG Ø 12 mm RTG Ø 6 mm</p>	20383	24,89 €
	<p>Cross section </p> <p>incl. Connection thread (for flexible leading head or small-sized cable pulling grip)</p> <p>RTG Ø 12 mm RTG Ø 6 mm</p>	20404	22,68 €
	<p>Cross section </p> <p>incl. Connection thread (for flexible leading head or small-sized cable pulling grip)</p> <p>RTG Ø 12 mm RTG Ø 6 mm</p>	20409	20,58 €
	<p>incl. Connection thread (for flexible leading head or small-sized cable pulling grip)</p>	20387	31,40 €
	<p>Repair manual <a href="http://www.runpotec.com">www.runpotec.com</a></p>	20489	156,45 €
		20490	50,93 €
		20498	51,45 €
		30067	19,74 €
		20497	1486,80 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 15 mm

			
15 mm	180 – 450 mm	1200 mm	14500 Kg

**Information**  Cable pulling grip range see **page 32**

## CAPSTAN WINCH CW 800 E – for horizontal cable pulling



VIDEO





Capstan winch  
CW 800 E

**EXTRA STRONG**  
Does the tensile  
force from  
8 to 10 people

Item	Item no.	Rec. trade price
<b>Capstan winch CW 800 E incl. steel trolley mounting rail and 3 m strap (Total weight 41.5 kg)</b> for horizontal cable pulling Motor connection: 230 V   50 Hz – Motor power: 0.75 KW   5.1 A	10138	<b>2089,50 €</b>

Optimal for pulling one or more cables horizontally. Where several persons are needed for higher pulling loads on many sites, one person is sufficient to pull in the cables with the CW 800 E capstan winch by RUNPOTEC with a choice of **4 m/min | max. 800 kg** or **8 m/min | max. 400 kg**. The capstan winch can be fixed in place via the mounting holes, or attached to solid objects using the enclosed strap. The trolley mounting rail is another very convenient fastening option. A special coupling opening enables it to be attached to a car's trailer hitch. It is also possible to mount the rail vertically or horizontally to enable the CW 800 E capstan winch to be suspended with ease and attached via the two fixing bolts. **SAFETY NOTICE:**


Not suitable for vertical cable pulling, must not be used to carry or lift loads or persons.

Item	Item no.	Rec. trade price
 <p><b>Capstan winch CW 800 E without trolley incl. 3 m strap</b> (Total weight 32 kg) for horizontal cable pulling</p> <p>Motor connection: 230 V   50 Hz Motor power: 0.75 KW   5.1 A</p>	10148	<b>1984,50 €</b>
 <p><b>Steel trolley mounting rail</b></p>	20622	<b>126,00 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.



The portable **RUNPOTEC capstan winch CW 800 E** can be fastened in various ways.




The housing can be screwed to the floor **7**, or with a strap and suitable accessories through the attachment eye **8** fixed to a solid object (e.g., tree). You can also fix the housing on the RUNPOTEC trolley **10** by means of locking bolts **6** on the rail. The trolley itself can be screwed down, hung directly on a trailer hitch **12** or fixed with a strap through the attachment eye to a fixed object.

Application of the **RUNPOTEC capstan winch CW 800 E**



The cable to be pulled is connected, preferably with a **connection swirl with swivel**, with the pull rope.



The towing rope is guided past inside the rope guide pin **4**. Wrap the towing rope at least 3 times around the capstan winch (**2 or 3**) and then lead out through the rope guide **5**. Keep the towing rope tight, so that it does not get tangled up.



The operator stands next to the capstan winch with a sufficient safety distance and pulls with little effort at a 90° angle to the pulling direction on the pull rope. The effort should only be so strong until the feed rate is reached. **Very strong pulling does not increase the pulling power of the capstan winch!**

## Polyester cable pulling rope incl. steel cage



Item	Rope Ø	Length	Reel basket Ø	Internal reel basket	Total breaking load	Item no.	Rec. trade price
Polyester cable pulling rope incl. steel cage	8 mm	120 m	520 mm	70 mm	1100 kg	10169	<b>334,95 €</b>
	10 mm	120 m	520 mm	70 mm	1640 kg	10167	<b>376,95 €</b>
		200 m	770 mm	98 mm		10168	<b>513,45 €</b>
	12 mm	150 m	770 mm	98 mm	2180 kg	10120	<b>534,45 €</b>
		200 m	770 mm	98 mm		10121	<b>597,45 €</b>
		300 m	770 mm	192 mm		10122	<b>723,45 €</b>
		350 m	770 mm	192 mm		10123	<b>807,45 €</b>

RUNPOTEC recommends the polyester Ø 10mm and Ø 12mm cable pulling rope for the horizontal cable pull in conjunction with the RUNPOTEC capstan winch CW 800 E. RUNPOTEC recommends using the connection swirl with twist compensator for the horizontal cable pull. It reduces frictional resistance and protects the cable and feed system. The steel cage enables the rope to be wound in/out in a controlled manner. It also ensures the rope is optimally stowed and ready for use.

### SAFETY NOTICE:

Not suitable for the vertical cable pull, must not be used to bear/lift loads or people.

Item	Reel basket Ø	Internal reel basket	Item no.	Rec. trade price	
	<b>Rope reel 514</b>	514 mm	70 mm	20527	<b>227,50 €</b>
	<b>Rope reel 770 narrow</b>	770 mm	98 mm	20526	<b>295,00 €</b>
	<b>Rope reel 770 wide</b>	770 mm	192 mm	20525	<b>299,90 €</b>

Item	Rope Ø	Length	Reel basket Ø	Drum high	Total breaking load	Item no.	Rec. trade price
	8 mm	120 m	230 mm	217 mm	1100 kg	20621	<b>114,45 €</b>
		10 mm	120 m	250 mm		300 mm	20619
	12 mm	200 m	300 mm	300 mm	2180 kg	20620	<b>229,95 €</b>
		150 m	300 mm	345 mm		20615	<b>240,45 €</b>
		200 m	350 mm	330 mm		20616	<b>313,95 €</b>
		300 m	400 mm	380 mm		20617	<b>450,45 €</b>
		350 m	400 mm	430 mm		20618	<b>523,95 €</b>

Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
<p>Application image</p>	600 mm	1019 kg	Ø 10 - 15 mm	20661	<b>36,70 €</b>
	600 mm	2080 kg	Ø 15 - 20 mm	20662	<b>37,80 €</b>
	600 mm	2080 kg	Ø 20 - 25 mm	20663	<b>38,90 €</b>
	1000 mm	2080 kg	Ø 25 - 30 mm	20664	<b>43,00 €</b>
	1250 mm	3059 kg	Ø 30 - 40 mm	20665	<b>48,30 €</b>
	1250 mm	4078 kg	Ø 40 - 50 mm	20666	<b>53,60 €</b>
	1500 mm	4996 kg	Ø 50 - 60 mm	20667	<b>62,00 €</b>
	1500 mm	4996 kg	Ø 60 - 70 mm	20668	<b>72,50 €</b>
	1500 mm	4996 kg	Ø 70 - 85 mm	20669	<b>85,00 €</b>
	1500 mm	5812 kg	Ø 85 - 100 mm	20670	<b>96,60 €</b>

Accessories	Item no.	Rec. trade price
<p><b>connection swirl with swivel</b>   Ø 30 mm   L 144 mm stainless steel   tension load 1500 kg   fork-Ø 12 mm</p>	10176	<b>177,45 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

# Cable guide roller – chain



**VIDEO**

Cable guide roller



**Possible application**






0 degrees



60 degrees



90 degrees



120 degrees






180 degrees



Item	Item no.	Rec. trade price
<p><b>Cable guide roller – chain – 3-part – roller-Ø 130 mm – max. cable - Ø 100 mm</b>  <b>Load capacity 1.500 kg</b></p> <p>The cable guide roller - chain is extremely versatile and can be used for pulling cables gently around corners with the least possible resistance. The cable guide roller - chain can be optionally expanded with additional rollers or links. The lightweight and highly robust design reduces the effort required. The high-quality, die-cast aluminium rollers with integrated sealed ball bearings and the sturdy powder-coated steel frame guarantee a long service life.</p>	10166	<b>212,00 €</b>

# Cable guide roller – roller diameter Ø 130 mm

Item	Item no.	Rec. trade price
 <p><b>Cable guide roller - shaft - Load capacity 1.500 kg</b>                      For insert cables into or out of shafts                      Roller diameter: Ø 130 mm, max. cable diameter: Ø 100 mm, Heavy duty roller: aluminum, Frame: steel</p>	10157	<b>70,50 €</b>
 <p><b>Cable guide roller - shaft inside edge - Load capacity 1.500 kg</b>                      For shafts, stairways or stages                      Roller diameter: Ø 130 mm, Max. cable diameter: Ø 100 mm, Heavy duty roller: aluminum, Frame: steel</p>	10156	<b>70,50 €</b>
 <p><b>90° cable guide roller - Load capacity 1.500 kg</b>                      For corners and edges                      Roller diameter: Ø 130 mm                      Max. cable diameter: Ø 100 mm                      Heavy duty roller: aluminum, Frame: steel</p>	10153	<b>138,00 €</b>

# Laser distance meter **RM 80** Powerful laser up to 80 m

**POWERFUL LASER**  
**▶▶ UPTO 80m**



Carrying loop



Measures from 90° corner



Protective case with belt loop





Item	Item no.	Rec. trade price
<b>Laser distance meter RM 80</b> ▶ measures up to 80 m distance ▶ incl. angle- and inclination display ▶ extensive calculation functions ▶ storage of 99 measurings ▶ measures from 90° corner ▶ incl. protective case with belt loop	10108	<b>114,45 €</b>

**Specifications**

Measuring range	0,05 m – 80 m	IP rating	IP 54
MEASURING TOLERANCE	± 1,5 mm	Laser type	620 – 690 nm, < 1mW
Laser class	2	Dimensions (mm)	121 x 45 x 25
Measure range of tilt sensor	360°	Battery	AAA 2 x 1,5 V
Accuracy of tilt sensor	± 0,3 ° *	Battery life	up to 5000 measurings

\* This is the typical value. Depending on the environment the deviation can rise slightly.

**Measurement examples**





All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021. All illustrations are symbol photos. Typing and printing errors reserved.

## Metal spiral with special eyelet





3 times offset wound metal spiral

Ending	Beginning
 <b>End cap</b> • pressed onto strand •	 <b>Special eyelet Ø 6 mm</b> • pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
<b>Metal spiral</b> with special eyelet	4 mm	10 m	30010	<b>12,50 €</b>
		15 m	30011	<b>19,43 €</b>
		20 m	30012	<b>23,94 €</b>
		25 m	30013	<b>29,51 €</b>
		30 m	30014	<b>35,07 €</b>





## Nylon fish tape



Ending	Beginning
 <b>Eyelet Ø 6 mm</b> • pressed onto strand •	 <b>Starting spinner with eyelet head Ø 6 mm</b> • pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
<b>Nylonspirale</b>	4 mm	5 m	20060	<b>6,83 €</b>
		10 m	20061	<b>7,98 €</b>
		15 m	20062	<b>9,87 €</b>
		20 m	20063	<b>11,24 €</b>
		25 m	20064	<b>12,60 €</b>
		30 m	20065	<b>13,97 €</b>

Recommended tube diameter, bending radius and tension loads for the Nylon fish tape

Ø				
4 mm	16 – 25 mm	25 mm	110 Kg	110 Kg

Page	Item no.	EAN-CODE	Rec. trade price
28	10000	9120045476163	<b>271,95 €</b>
20	10013	9120045472806	<b>131,15 €</b>
20	10014	9120045472813	<b>146,90 €</b>
22	10016	9120045473094	<b>108,15 €</b>
22	10020	9120045473100	<b>129,15 €</b>
23	10042	9120045473186	<b>21,53 €</b>
23	10043	9120045473179	<b>17,33 €</b>
23	10044	9120045473162	<b>17,85 €</b>
23	10045	9120045473155	<b>18,38 €</b>
34	10047	9120045473520	<b>300,30 €</b>
34	10048	9120045473537	<b>238,35 €</b>
34	10050	9120045473544	<b>348,60 €</b>
34	10051	9120045473551	<b>285,60 €</b>
34	10052	9120045473568	<b>228,90 €</b>
34	10054	9120045473575	<b>168,00 €</b>
34	10055	9120045473582	<b>254,10 €</b>
34	10056	9120045473599	<b>192,15 €</b>
34	10057	9120045473605	<b>277,20 €</b>
34	10058	9120045473612	<b>215,25 €</b>
37	10059	9120045473629	<b>283,50 €</b>
37	10060	9120045473636	<b>233,10 €</b>
37	10061	9120045473643	<b>307,65 €</b>
37	10062	9120045473650	<b>257,25 €</b>
37	10063	9120045473667	<b>336,00 €</b>
37	10064	9120045473674	<b>285,60 €</b>
37	10065	9120045473681	<b>394,80 €</b>
37	10066	9120045473704	<b>344,40 €</b>
41	10076	9120045473858	<b>401,10 €</b>
41	10077	9120045473865	<b>420,00 €</b>
41	10078	9120045473872	<b>437,85 €</b>
41	10079	9120045473889	<b>474,60 €</b>
41	10080	9120045473896	<b>507,15 €</b>
41	10081	9120045473902	<b>404,25 €</b>
41	10082	9120045473919	<b>430,50 €</b>
41	10083	9120045473926	<b>457,80 €</b>
41	10084	9120045473933	<b>507,15 €</b>
41	10085	9120045473940	<b>550,20 €</b>
41	10086	9120045473957	<b>578,55 €</b>
25	10087	9120045473964	<b>90,30 €</b>
25	10088	9120045473971	<b>102,90 €</b>
25	10089	9120045473988	<b>113,40 €</b>
25	10090	9120045473995	<b>125,90 €</b>

Page	Item no.	EAN-CODE	Rec. trade price
41	10091	9120045474428	<b>537,60 €</b>
44	10092	9120045474480	<b>670,95 €</b>
44	10093	9120045474497	<b>733,95 €</b>
44	10094	9120045474503	<b>828,45 €</b>
44	10095	9120045474510	<b>985,95 €</b>
44	10096	9120045474527	<b>1.153,95 €</b>
44	10097	9120045474534	<b>1.258,95 €</b>
46	10099	9120045474749	<b>2.311,05 €</b>
46	10100	9120045474756	<b>2.547,30 €</b>
46	10101	9120045474763	<b>2.806,65 €</b>
46	10102	9120045474770	<b>3.042,90 €</b>
46	10103	9120045474787	<b>3.302,25 €</b>
46	10104	9120045474794	<b>3.567,90 €</b>
52	10108	9120045474893	<b>114,45 €</b>
41	10110	9120045475210	<b>659,00 €</b>
50	10120	9120045475364	<b>534,45 €</b>
50	10121	9120045475371	<b>597,45 €</b>
50	10122	9120045475388	<b>723,45 €</b>
50	10123	9120045475395	<b>807,45 €</b>
12	10134	9120045475647	<b>186,90 €</b>
12	10135	9120045475654	<b>219,45 €</b>
11	10136	9120045475616	<b>219,00 €</b>
8	10137	9120045475623	<b>114,45 €</b>
48	10138	9120045475630	<b>2.089,50 €</b>
16	10139	9120045475555	<b>523,95 €</b>
16	10140	9120045475562	<b>565,95 €</b>
16	10141	9120045475579	<b>607,95 €</b>
12	10142	9120045475609	<b>787,50 €</b>
14	10147	9120045475708	<b>123,50 €</b>
48	10148	9120045475715	<b>1.984,50 €</b>
51	10153	9120045476361	<b>138,00 €</b>
30	10154	9120045475777	<b>39,80 €</b>
51	10156	9120045476378	<b>70,50 €</b>
51	10157	9120045476385	<b>70,50 €</b>
30	10159	9120045475821	<b>39,80 €</b>
14	10161	9120045476439	<b>2.030,00 €</b>
14	10162	9120045476446	<b>2.610,00 €</b>
14	10163	9120045476453	<b>2.650,00 €</b>
14	10164	9120045476460	<b>2.690,00 €</b>
51	10166	9120045476521	<b>212,00 €</b>
50	10167	9120045475906	<b>376,95 €</b>
50	10168	9120045475913	<b>513,45 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021.  
All illustrations are symbol photos. Typing and printing errors reserved.

Page	Item no.	EAN-CODE	Rec. trade price
50	10169	9120045475920	<b>334,95 €</b>
9	10170	9120045476545	<b>189,00 €</b>
9	10171	9120045476552	<b>305,00 €</b>
6	10172	9120045476583	<b>329,00 €</b>
9	10174	9120045475685	<b>148,00 €</b>
32,50	10176	9120045475999	<b>177,45 €</b>
3	11117	9120045476224	<b>168,95 €</b>
21,35	11120	9120045473353	<b>349,20 €</b>
2	11137	9120045475586	<b>695,10 €</b>
2	11138	9120045475593	<b>668,85 €</b>
17	11140	9120045476392	<b>789,00 €</b>
2	11143	9120045476897	<b>379,00 €</b>
36	20002	9120045473711	<b>117,60 €</b>
28	20004	9120045472585	<b>161,70 €</b>
28	20010	9120045470161	<b>7,35 €</b>
28	20020	9120045470253	<b>7,98 €</b>
28	20025	9120045470307	<b>7,98 €</b>
28	20032	9120045470376	<b>7,98 €</b>
28	20040	9120045470451	<b>7,98 €</b>
22	20059	9120045473049	<b>19,43 €</b>
53	20060	9120045472523	<b>6,83 €</b>
53	20061	9120045472530	<b>7,98 €</b>
53	20062	9120045472547	<b>9,87 €</b>
53	20063	9120045472554	<b>11,24 €</b>
53	20064	9120045472561	<b>12,60 €</b>
53	20065	9120045472578	<b>13,97 €</b>
26	20104	9120045474015	<b>48,72 €</b>
26	20105	9120045474022	<b>53,55 €</b>
26	20106	9120045474039	<b>59,54 €</b>
27	20107	9120045474046	<b>6,41 €</b>
27	20108	9120045474053	<b>6,41 €</b>
26	20116	9120045474077	<b>6,83 €</b>
26	20119	9120045474091	<b>7,35 €</b>
23,26	20238	9120045473209	<b>30,45 €</b>
21	20240	9120045472820	<b>99,65 €</b>
21	20241	9120045472837	<b>115,40 €</b>
21	20242	9120045472844	<b>131,15 €</b>
36	20250	9120045473384	<b>19,95 €</b>
36	20251	9120045473391	<b>21,32 €</b>
39	20252	9120045473407	<b>35,70 €</b>
28	20253	9120045472868	<b>15,65 €</b>
23	20260	9120045473032	<b>8,19 €</b>

Page	Item no.	EAN-CODE	Rec. trade price
23	20261	9120045473018	<b>5,99 €</b>
23	20262	9120045473001	<b>8,82 €</b>
32	20266	9120045473728	<b>36,65 €</b>
32	20267	9120045473735	<b>37,75 €</b>
32	20268	9120045473742	<b>38,96 €</b>
32	20269	9120045473759	<b>40,79 €</b>
31	20272	9120045473292	<b>25,20 €</b>
31	20273	9120045473308	<b>27,83 €</b>
31	20274	9120045473315	<b>32,03 €</b>
36,38	20278	9120045474350	<b>37,80 €</b>
35,38	20279	9120045473230	<b>16,28 €</b>
35,38	20280	9120045474800	<b>13,55 €</b>
39	20300	9120045473766	<b>150,36 €</b>
35,38	20303	9120045474084	<b>7,14 €</b>
35	20311	9120045473438	<b>72,66 €</b>
35	20312	9120045473445	<b>86,31 €</b>
35	20313	9120045473452	<b>99,96 €</b>
35	20314	9120045473469	<b>115,71 €</b>
35	20315	9120045473476	<b>143,01 €</b>
39	20316	9120045473261	<b>11,03 €</b>
38	20317	9120045473483	<b>93,45 €</b>
38	20318	9120045473490	<b>113,93 €</b>
38	20319	9120045473506	<b>130,41 €</b>
38	20320	9120045473513	<b>165,48 €</b>
39	20321	9120045473414	<b>12,50 €</b>
36	20322	9120045473254	<b>9,87 €</b>
36	20323	9120045473421	<b>12,50 €</b>
28	20333	9120045473780	<b>7,56 €</b>
31	20365	9120045474114	<b>16,17 €</b>
31	20366	9120045474121	<b>17,33 €</b>
31	20367	9120045474138	<b>26,15 €</b>
42	20368	9120045474145	<b>114,45 €</b>
42	20369	9120045474152	<b>129,15 €</b>
42	20370	9120045474169	<b>145,95 €</b>
42	20371	9120045474176	<b>182,70 €</b>
42	20372	9120045474183	<b>215,25 €</b>
42	20373	9120045474190	<b>128,10 €</b>
42	20374	9120045474206	<b>151,20 €</b>
42	20375	9120045474213	<b>175,35 €</b>
42	20376	9120045474220	<b>218,40 €</b>
42	20377	9120045474237	<b>273,00 €</b>
42	20378	9120045474244	<b>308,70 €</b>

Page	Item no.	EAN-CODE	Rec. trade price
43	20379	9120045474268	<b>9,24 €</b>
43	20380	9120045474275	<b>12,50 €</b>
43	20381	9120045474282	<b>9,24 €</b>
45,47	20382	9120045474299	<b>35,70 €</b>
45,47	20383	9120045474305	<b>24,89 €</b>
43	20384	9120045474312	<b>42,00 €</b>
43	20385	9120045474329	<b>46,20 €</b>
44	20386	9120045474541	<b>460,95 €</b>
45,47	20387	9120045474336	<b>31,40 €</b>
32	20388	9120045474343	<b>19,95 €</b>
36	20402	9120045474374	<b>161,70 €</b>
39	20403	9120045474367	<b>204,75 €</b>
45,47	20404	9120045474398	<b>22,68 €</b>
43	20405	9120045474404	<b>290,85 €</b>
26	20408	9120045474459	<b>20,58 €</b>
45,47	20409	9120045474411	<b>20,58 €</b>
27	20411	9120045474107	<b>6,30 €</b>
43	20412	9120045474251	<b>12,92 €</b>
26	20413	9120045474008	<b>36,75 €</b>
42	20414	9120045474442	<b>247,80 €</b>
45	20416	9120045474473	<b>362,25 €</b>
44	20417	9120045474558	<b>471,45 €</b>
44	20418	9120045474565	<b>586,95 €</b>
44	20419	9120045474572	<b>733,95 €</b>
44	20420	9120045474589	<b>870,45 €</b>
44	20421	9120045474596	<b>1.017,45 €</b>
45	20422	9120045474602	<b>10,71 €</b>
45	20423	9120045474985	<b>15,12 €</b>
45	20424	9120045474626	<b>53,97 €</b>
23	20427	9120045474633	<b>6,20 €</b>
23	20428	9120045474640	<b>6,20 €</b>
32	20436	9120045474657	<b>56,18 €</b>
32	20437	9120045474664	<b>59,54 €</b>
32	20438	9120045474671	<b>63,84 €</b>
32	20439	9120045474688	<b>71,40 €</b>
32	20440	9120045474695	<b>84,32 €</b>
32	20441	9120045474701	<b>99,54 €</b>
40	20442	9120045474718	<b>89,78 €</b>
43,45	20443	9120045474725	<b>5,25 €</b>
23	20455	9120045474831	<b>15,12 €</b>
23	20457	9120045474848	<b>10,71 €</b>
26,35	20460	9120045474855	<b>30,45 €</b>

Page	Item no.	EAN-CODE	Rec. trade price
42	20461	9120045474879	<b>99,54 €</b>
45	20462	9120045474886	<b>104,90 €</b>
22	20468	9120045475081	<b>18,38 €</b>
26	20475	9120045475098	<b>20,58 €</b>
26	20476	9120045475104	<b>41,69 €</b>
18	20481	9120045475180	<b>62,48 €</b>
18	20483	9120045475197	<b>6,20 €</b>
18	20484	9120045474930	<b>8,51 €</b>
18	20485	9120045474947	<b>41,90 €</b>
24,36	20487	9120045474954	<b>8,51 €</b>
18	20488	9120045474961	<b>124,43 €</b>
47	20489	9120045474978	<b>156,45 €</b>
46	20490	9120045474992	<b>50,93 €</b>
46	20491	9120045475005	<b>934,50 €</b>
46	20492	9120045475012	<b>1.153,95 €</b>
46	20493	9120045475029	<b>1.401,75 €</b>
46	20494	9120045475036	<b>1.646,40 €</b>
46	20495	9120045475043	<b>1.887,90 €</b>
46	20496	9120045475050	<b>2.171,40 €</b>
47	20497	9120045475067	<b>1.486,80 €</b>
47	20498	9120045475203	<b>51,45 €</b>
18	20509	9120045475241	<b>7,04 €</b>
27	20522	9120045475265	<b>7,14 €</b>
27	20523	9120045475272	<b>8,19 €</b>
50	20525	9120045475296	<b>299,90 €</b>
50	20526	9120045475302	<b>295,00 €</b>
50	20527	9120045475319	<b>227,50 €</b>
18	20559	9120045476156	<b>312,90 €</b>
18	20560	9120045476149	<b>271,95 €</b>
42	20562	9120045476194	<b>368,00 €</b>
18	20593	9120045476132	<b>194,25 €</b>
18	20606	9120045476088	<b>19,95 €</b>
18	20607	9120045476064	<b>15,23 €</b>
18	20608	9120045476019	<b>26,25 €</b>
12	20609	9120045475678	<b>26,25 €</b>
12	20610	9120045476095	<b>28,35 €</b>
28	20611	9120045476118	<b>49,35 €</b>
18	20612	9120045476026	<b>49,35 €</b>
21	20613	9120045476002	<b>49,35 €</b>
23	20614	9120045476101	<b>22,05 €</b>
50	20615	9120045475838	<b>240,45 €</b>
50	20616	9120045475845	<b>313,95 €</b>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2021.  
All illustrations are symbol photos. Typing and printing errors reserved.



Page	Item no.	EAN-CODE	Rec. trade price
50	20617	9120045475852	<b>450,45 €</b>
50	20618	9120045475869	<b>523,95 €</b>
50	20619	9120045475876	<b>156,45 €</b>
50	20620	9120045475883	<b>229,95 €</b>
50	20621	9120045475890	<b>114,45 €</b>
48	20622	9120045475722	<b>126,00 €</b>
12	20623	9120045475661	<b>68,00 €</b>
30	20624	9120045475739	<b>13,55 €</b>
30	20625	9120045475746	<b>14,07 €</b>
30	20626	9120045475753	<b>14,60 €</b>
30	20627	9120045475760	<b>15,12 €</b>
30	20628	9120045475784	<b>13,55 €</b>
30	20629	9120045475791	<b>14,07 €</b>
30	20630	9120045475807	<b>14,60 €</b>
30	20631	9120045475814	<b>15,12 €</b>
8,11	20632	9120045476071	<b>9,14 €</b>
42,45	20646	9120045476187	<b>28,30 €</b>
32	20661	9120045476248	<b>36,70 €</b>
32	20662	9120045476255	<b>37,80 €</b>
32	20663	9120045476262	<b>38,90 €</b>
32	20664	9120045476279	<b>43,00 €</b>
32	20665	9120045476286	<b>48,30 €</b>
32	20666	9120045476293	<b>53,60 €</b>
32	20667	9120045476309	<b>62,00 €</b>
32	20668	9120045476316	<b>72,50 €</b>
32	20669	9120045476323	<b>85,00 €</b>
32	20670	9120045476330	<b>96,60 €</b>
14	20692	9120045476484	<b>490,00 €</b>
14	20693	9120045476491	<b>530,00 €</b>
14	20694	9120045476507	<b>570,00 €</b>
9	20696	9120045476538	<b>48,00 €</b>
7	20706	9120045475326	<b>30,00 €</b>
7	20707	9120045475333	<b>12,10 €</b>
7	20708	9120045475340	<b>49,35 €</b>
14	20711	9120045476644	<b>126,00 €</b>
7	20714	9120045476637	<b>34,70 €</b>
7	20738	9120045476705	<b>15,20 €</b>
7	20739	9120045476712	<b>35,70 €</b>
23	30009	9120045473193	<b>19,95 €</b>
53	30010	9120045471977	<b>12,50 €</b>
53	30011	9120045471984	<b>19,43 €</b>
53	30012	9120045471991	<b>23,94 €</b>

Page	Item no.	EAN-CODE	Rec. trade price
53	30013	9120045472004	<b>29,51 €</b>
53	30014	9120045472011	<b>35,07 €</b>
29	30017	9120045472028	<b>23,73 €</b>
29	30018	9120045472035	<b>30,66 €</b>
29	30019	9120045472042	<b>38,43 €</b>
29	30020	9120045472059	<b>45,47 €</b>
29	30021	9120045472066	<b>49,25 €</b>
24	30027	9120045472073	<b>15,12 €</b>
24	30028	9120045472080	<b>16,17 €</b>
24	30029	9120045472097	<b>19,43 €</b>
24	30030	9120045472103	<b>22,68 €</b>
31	30039	9120045472158	<b>18,76 €</b>
31	30040	9120045472165	<b>20,65 €</b>
31	30041	9120045472172	<b>31,90 €</b>
24	30042	9120045472189	<b>26,99 €</b>
24	30043	9120045472196	<b>31,29 €</b>
27,36	30050	9120045472240	<b>7,46 €</b>
29	30054	9120045474466	<b>17,33 €</b>
19,43	30063	9120045472301	<b>7,23 €</b>
27	30064	9120045472318	<b>8,87 €</b>
36,38	30067	9120045472356	<b>19,74 €</b>
27,36	30070	9120045472387	<b>5,67 €</b>
21	30146	9120045473841	<b>31,50 €</b>
36,38	30208	9120045473025	<b>4,31 €</b>
23	30210	9120045473124	<b>3,78 €</b>
23	30236	9120045473056	<b>4,83 €</b>
22	30239	9120045472998	<b>18,38 €</b>
27	30467	9120045474862	<b>4,41 €</b>



The muscle power you use will be optimally converted into performance using the revolutionary RUNPOGLIDER (special glider) with swivel. The perfect mixture of shape, stability and flexibility (based on the conical shape) now enables you to have **even more penetrating power!**



**1 SWIVEL** The integrated swivel, allows the cable to turn in the pipe and reducing wear and tear and gives the cablepullingsystem and the cable an extended service lifetime.

**2 HIGHEST-POSSIBLE BREAKAGE PROTECTION** Numerous stable safety reinforcements in the connection between the spiral strand and the RUNPOGLIDER guarantee the highest-possible **breaking load** ( $\text{Ø } 6 \text{ mm} > 200 \text{ kg}$  /  $\text{Ø } 7 \text{ mm} > 300 \text{ kg}$ ) for **RUNPOGLIDER spirals**.

**3 NO HEAD CHANGING** The universal **special eyelet head** is not only shaped optimally for pushing in the RUNPOGLIDER spirals or the POWER REX, it is also made for pulling in the cable at the same time.

**Therefore it is not necessary to change the head!**

**4 MORE CABLE TAKE-UP** The extra-large eyelet in the **special eyelet** head can take up more cable than other spirals. This enables you to **save** valuable time!

Item	Item no.	Rec. trade price
<b>RUNPOGLIDER with SWIVEL</b> Ø 7 mm, RUNPOTEC <b>RTG</b> Ø 6 mm thread Compatible with RUNPOTEC-Products POWER REX, RUNPOSTICKS, fiberglass rods 4,5 mm and 6 mm	20238	<b>31,39 €</b>

#### Advantage:



**Large eyelet hole**  
up to  $7 \times 2.5 \text{ mm}^2$   
cable take-up

Version: 04-2010

#### Area of applicability:

All deliveries and services of Runpotec GmbH, hereinafter referred to as Runpotec in abbreviated form, shall take place on the basis of the general terms and conditions of business at hand. Any deviating terms and conditions of business of the customer shall not become part of the contract, also in case that their validity is named as a condition for the conclusion of the business transaction.

#### II Offer and order:

1. All offers shall be subject to confirmation and non-binding.
2. The contract shall come into existence either by means of a written order confirmation or by delivery of the goods. In the latter case, the invoice shall also apply as the order confirmation.
3. The details concerning the services of Runpotec contained in price lists, in catalogues on the Internet and other advertising media do not contain any information which defines services as defined in § 922 Paragraph 2 of the Austrian General Civil Code (ABGB).
4. Amendments and additions to the contract, including the general terms and conditions of business, shall require written form to take legal effect. The same shall also apply in respect of deviation from the written form clause itself. Oral ancillary agreements shall not be effective.

#### III. Prices and payment terms

1. The prices named in catalogues, prospectuses, mailing letters, price lists and illustrations are non-binding and subject to confirmation. The prices are exclusive of value added tax and customs duties, as well as any shipping costs due.
2. As a rule, deliveries shall only be made with payment on delivery or prepayment. Bills of exchange and cheques shall not be considered as payment and shall only be accepted under notice of provisional receipt.
3. In case of payment delay, the Customer shall be obliged to pay default interest of 10% per annum.
4. The Customer shall pay a fee of up to € 20 for each warning to cover the expenses incurred. In addition, the reasonable costs of engaged credit collection agencies or lawyers shall be paid by the Customer.
5. The Customer shall not be entitled to set off with claims of any type, unless these are expressly recognised by Runpotec in writing or have been recognised by declaratory judgement by a court.

#### IV. Delivery

1. Delivery times shall be complied with as best as possible, but shall be non-binding. Delivery delays shall therefore not entitle the Customer to assert claims, regardless of under which legal title. Circumstances which are independent of and cannot be influenced by Runpotec, such as operational disruptions, interventions by the authorities, delays of subcontractors, labour conflicts etc. shall extend the delivery deadline by the duration of the hindrance and shall entitle Runpotec to rescind the contract, to the exclusion of damages claims, warranty claims and error appeal claims. This shall also apply if the events occur at a time in which Runpotec is already in default.
2. The dispatch or transportation shall take place at the expense and risk of the Customer. In the absence of specific instructions of the Customer, the delivery shall take place at our best discretion and without a guarantee concerning the choice of the best and cheapest shipping. Packaging material will not be accepted for return. The transfer of risk from Runpotec to the Customer will also take place on handover to the shipping company in respect of goods which are delivered free house. Insurance will only be concluded by means of written order by the contracting partner and this shall be at their expense.
3. Regardless of the place of delivery and/or performance and the covering of possible transportation costs, 5303 Thalgau, Austria is hereby agreed as the place of performance on the part of the Customer.
4. Any possible export and customs permits, currency permits or similar permits shall be obtained by the Customer at its own expense. The Customer shall be obliged to hold Runpotec free and harmless from all customs expenses. In case of other liability in respect of tax stipulations, the Customer shall be obliged to return all export and customs papers to Runpotec in the original. Runpotec shall not incur liability in respect of the permissibility of the export of the goods and their conformity with the legal and technical regulations of the importing country, and shall also not be responsible for the goods conforming to the state of technology in the importing country.
5. In case of delay in acceptance on the part of the Customer, Runpotec shall be entitled to either to request performance and the full fee or to rescind the contract and demand a cancellation fee of 50% of the value of the goods. A possible claim for damages which goes beyond this shall not be affected thereby.

#### VI. Retention of title

1. The goods shall remain the property of Runpotec until full payment of all claims. During the existence of the retention of title, the Customer shall not be entitled to sell, process or pledge the goods or to dispose of them in any other way.
2. The assertion of the retention of title shall not require rescission, shall not be deemed as rescinding the contract and shall not release the Customer from its obligations, in particular that of payment of the purchase price.

3. In order to inspect the goods which are subject to retention of title, the Customer shall grant access to its operations at all times. Should the Customer enter default concerning its payment obligations, should bankruptcy proceedings be opened against its assets or should it breach other contractual duties, Runpotec shall be entitled to demand surrender of the goods subject to retention of title, to collect these and to enter the premises of the Customer during this process. In case of assertion of the retention of title, the Customer shall be obliged to pay any reduction of value in respect of the goods and to pay Runpotec a reasonable fee for their use.

#### VII. Guarantee and liability

1. Should the Customer be an entrepreneur, it shall be obliged to immediately make a complaint regarding defects in writing, at the latest within a week of handover, and in case of other lost of claims of any kind giving details of the defect in writing. Defect complaints shall not entitle the Customer to withhold the purchase price in part or in full.
2. The warranty period in relation to consumers shall be two years, and for entrepreneurs, six months.
3. The Customer shall provide Runpotec with the opportunity to check the defect. In case of a defect, Runpotec shall be entitled to defend a possible price reduction claim by means of improvement or a replacement delivery. Runpotec shall be entitled to deal with the defect itself or by a third party on site or to request return of the goods for the purpose of improvement. Dealing with the defect on the part of the customer by means of a third party company shall only be permitted if Runpotec does not deal with the defect within a reasonable deadline, despite a demand note.
4. Warranty claims shall therefore only exist if the device is used in accordance with the operating instructions and in compliance with all intended operating conditions, and the defect arises in normal use. The warranty does not cover the correction of defects which are due to external influences, operating error or use of the device together with other equipment or accessories which are not provided by Runpotec and whose compatibility with the device which forms the subject matter of the contract was not expressly approved in writing.
5. Damages claims for whatever legal reason, in particular due to delay, impossibility, positive breach of obligation, fault at the time of conclusion of the contract, consequential damage caused by defects and error appeal arising out of a defective delivery or service shall be excluded, unless these are caused by intent or gross negligence on the part of Runpotec. In any case, damages claims of the Customer shall be limited to the simple net value of the goods. Liability for lost profit or consequential loss of the Customer of whatever type shall be excluded. The Customer shall provide proof of the presence of fault and causation.
6. The assignment of warranty and damages claims shall not be permitted.
7. The Customer hereby expressly waives the assertion of damages claims for property damage under the title of the Austrian Product Liability Act (Produkthaftungsgesetz) which it suffers within the framework of its company. Should the Customer sell the device to other companies, the Customer shall be obliged to bind its contractual partners and any further commercial contractual partners to this waiver. To the extent that the Customer omits to do this, the Customer shall be obliged to indemnify and hold harmless Runpotec. Should the Customer incur liability due to the Austrian Product Liability Act (Produkthaftungsgesetz), it shall waive any recourse in relation to Runpotec.

In case of the presence of the requirements of § 933 b of the Austrian General Civil Code (ABGB), the Customer shall be entitled to obtain recourse within two months in relation to Runpotec, however only if such an assertion takes place before a court within three years of delivery.

#### VIII Place of jurisdiction and applicable law:

1. Austrian law shall apply between the contracting parties to the exclusion of the UN Convention on the International Sale of Goods.
2. The general terms and conditions of business shall only apply in relation to consumers to the extent that mandatory provisions of the Austrian Consumer Protection Act (Konsumentenschutzgesetz) do not prevent this.
3. The competent court for 5303 Thalgau, Austria is hereby exclusively agreed as the place of jurisdiction for all legal disputes concerning the concluded contract. However, Runpotec shall also be entitled to bring lawsuits at other courts for which a statutory place of jurisdiction of the Customer is present.

#### IX General:

1. Runpotec shall be entitled to save and process data of the contracting partner in accordance with the Austrian Data Protection Act (Datenschutzgesetz) within the framework of the business dealings.
2. Should any individual points of these terms and conditions of business or the negotiated contract be ineffective, this shall not affect the validity of the remaining provisions. In place of the ineffective provision, a clause which comes closest to its sense and purpose shall be deemed to be agreed.



**EXTRA STRONG**  
max. 800 kg - does the tensile  
force from 8 to 10 people



**Promotion Capstan winch:** when you buy  
**1 x Capstan winch +**  
**1 x PULLING ROPE +**  
**1 x CONNECTION SWIVEL +**  
 YOU WILL GET  
**1 x CABLE PULLING GRIP**  
**1 x CABLE GUIDE SHAFT**  
**FOR FREE !**

- ✓ Capstan winch CW 800 E incl. trolley mounting rail and strap for horizontal cable pulling (230 V / 50 Hz - 0,75 kWh / 5,1 A)
  - ✓ Pulling rope incl. steel cage (your choice)
  - ✓ Connection swirl with swivel Tension load 1500 kg
  - ✓ Cable pulling grip with loop
  - ✓ Cable guide roller shaft
- DETAILS SEE PAGE 48 - 50**

**SUBSCRIBE**



**RUNPOTEC  
NEWSLETTER**



## CABLE GUIDE ROLLER

HIGH PERFORMANCE GUIDE ROLLER

Gently and effortlessly pulling of cables around corners or edges



**Cable guide roller - chain - 3-part**  
universally applicable  
Item no.: 10166 | € 212,00

**Cable guide roller 90° - for corners and edges**  
Item no.: 10153 | € 138,00

**Cable guide roller shaft -**  
for insert cables into out of shafts  
Item no.: 10157 | € 70,50

**Cable guide roller shaft inside edge -**  
for shafts or stages  
Item no.: 10156 | € 70,50



Irlachstrasse 31  
5303 Thalgau / Austria

Fon: +43-6235-20335  
Fax: +43-6235-20335-35

office@runpotec.com  
www.runpotec.com

